INDEX TO VOLUME 53

The asterisk (*) preceding the page number indicates an original article in the Archives. Subject entries are made for all articles. Author entries are made for original articles and society transactions. Book Reviews, Obituaries and Society Transactions are indexed under these headings in their alphabetical order under the letters B, O and S, respectively.

Abnormalities and Deformities: See under names of diseases, organs and regions, as Atrophy; Ear; Ectodermal Defect; Hair, abnormalities; Pigmentation; Sweat Glands; etc.
Abramowitz, E. W.: Necrobiosis lipoidica, 522
  Perivasculitis, 163
  Psoriasis? roentgen ray dermatitis of groins, scrotum and scalp; roentgen ray ulcer of perineal area, 527
Abscess: See under names of organs and regions
Acanthosis nigricans; benign type with acne and active duodenal ulcer, 69
  nigricans (juvenile type), 194
Acarus Scabiei: See Scabies
Acetic Acid: See Ringworm
Achromia: See Nevi; Vitiligo
Acid, Acetic: See Ringworm
  Boric: See Boron Compounds
  Nicotinic: See Nicotinic Acid
Ackerman, L. V.: Sporotrichosis with radiate formation in tissue; report of case, *253
Acne; acanthosis nigricans; benign type with acne and active duodenal ulcer, 69
  indurata in identical twins treated by penicillin, *232
  rosacea; case for diagnosis, 153
  rosacea; telangiectasia of tip of nose; lupus erythematosus, 148
  rosacea-like tuberculid of Lewandowsky; tuberculosis miliaris faciei, 63
  ulerythema acneiforme; case for diagnosis, 60
  varioliformis or herpes simplex, recurrent, 68
Acrodermatitis atrophicans chronica, 185
  atrophicans chronica, scleroderma or atrophoderma, 666
  chronica atrophicans with angiosarcomas, 423
Acrokeratosis: See Keratosis
Acrosclerosis: See also Scleroderma
  Sellei, 547
Actinodermatitis: See under Light; Roentgen Rays
Actinomycosis, cervicofacial, 385
Adhesive plaster, treatment of varicose ulcers with silver-coated adhesive tape, *507
Adolescence; bone lesions of congenital syphilis in infants and adolescents, 386
Adrenalectomy: See Adrenals
Adrenals; hypertrichosis with mental changes; effect of adrenalectomy, 651
  in pemphigus vulgaris; report of case, *42
Alimentary Tract: See under Stomach
Allergy: See Anaphylaxis and Allergy
Alopecia: See also Hair, removal
  areata in twins, 193
  cicatrisata, 394, 399
  cicatrisata; pseudopelade, 59, 515
  totalis associated with onychodystrophy, 57
  ulerythema acneiforme; case for diagnosis, 60
Amebiasis, exfoliative dermatitis associated with amebic dysentery, *506
American Board of Dermatology and Syphilology, change in date of examination, 47
Amyloid Substance, experimental study on absorption of amyloid in localized amyloidosis by skin grafting, *342
Amyloidosis; experimental study on absorption of amyloid in localized amyloidosis by skin grafting, *342
  lichen amyloidosis in 2 sisters; case for diagnosis, 192
  of skin, 49
  primary systemic, 510
  primary systemic, of alimentary tract, 510
Anaphylaxis and Allergy: See also under names of various diseases, as Eczema; etc.
  atopic eczema (allergic eczema), 656
  chronic allergic dermatitis, 159
  contact dermatitis; analysis or tabulation of all cases proved in single year, *265
  dermatitis of hands due to atopic allergy to pollen, *437
  epidermal and dermal sensitization existing in same individual, 294
  evaluation of histamine intradermal test as general indicator of allergy, 385
Anderson, H. E.: Tyrothricin in cutaneous infections, *20
Anderson, N. P.: Bird scabies, 161
  Comedonicus nevus of extensive distribution, 433
  Keratosis follicularis in mother and daughter, 162
  Lupus vulgaris treated with promizole (4,2'-diaminophenyl-5-thiazolesulfone), 434
  Sarcoid; case for diagnosis, 152
Andrews, G. C.: Early diagnosis of cancer of skin, *570
  Hemangioma of orbit with cataract, 206
Andropogon Citratus: See Lemon Grass Oil
Angina, Vincent's: See Fusospirochetosis
Angiosarcoma with acrodermatitis chronica atrophicans, 423
Anhidrosis: See Sweat Glands
Ankle: See also Foot
  Charcot joint of right ankle, 538
Antigens and Antibodies: See also Lipoids; and under specific antigens and reactions
Antimony: See Psoriasis
Aphthae: See Stomatitis
Apparatus; diffusion of water through dead plantar, palmar and torsal human skin and through toe nails, *39
  treatment of dermatophytosis and hyperhidrosis with formaldehyde and cupric sulfate iontophoresis, *34
Appel, B.: Lichen planus hypertrophicus, 187
  Psoriasis, 183
Armed Forces Personnel: See Military Medicine; etc.
Armies: See Military Medicine
Arms: See Forearms; etc.
Arnold, H. L., Jr.: Amyloidosis of skin, 49
  Epidermolysis bullosa acquisita complicated by annular vegetative iododerma, 56
  Generalized progressive scleroderma with Raynaud's syndrome, 57
  Incidence of dermatoses in office practice in Hawaii, *6
  Keratosis palmaris; case for diagnosis, 55
  Lichen sclerosus et atrophicus, 56
  Lichen scrofulosus (tuberculosis lichenoides), 660

Arnold, H. L., Jr.—Continued
Lupus erythematous disseminatus (response to sulfadiazine?), 53
Pemphigus vulgaris, 48
Pityriasis rubra pilaris, 49
Poikiloderma; case for diagnosis, 57
Psoriasis or parapsoriasis en plaques (Brocq), 50
Subacute disseminated lupus erythematosus, 660
Tuberculoid leprosy, 50, 51
Arsenic and Arsenic Compounds: See also Arsphenamines
arsenical keratoses disappearing with vitamin A therapy, 154
fixed eruption (arsenic; bismuth?), 666
keratosis palmaris et plantaris due to arsenic, 177
pigmentation following morphea (and arsenic?), 540
pityriasis - rosea - like lichen - planus - like eruption following antisyphilitic therapy; case for diagnosis, 658
Therapy: See under Lupus erythematosus; Syphilis
Arsphenamines, dermatitis exfoliativa following arsphenamine therapy; observations on 50 cases, 648
intrahepatic obstructive jaundice due to neoarsphenamine; ineffectiveness of therapy, *620
Therapy: See under Syphilis
Arteries: See Arteriosclerosis; Periarteritis; Thrombosis; etc.
Arteriosclerosis; arteriosclerotic ulcer of leg, 397
arteriosclerotic ulcer with scleroderma-like changes; ergotism; case for diagnosis, 397
ulcers of leg (trophic; factitial; arteriosclerotic; traumatic?), 397
Arthritis; keratosis blennorrhagica; its response to penicillin, *278
Asthma: See Anaphylaxis and Allergy
Astrachan, G. D.: Idiopathic multiple hemorrhagic sarcoma (Kaposi), 170
Secondary syphilis; condyloma latum in nostrils, 655
Athlete's Foot: See Ringworm
Atopy: See Anaphylaxis and Allergy
Atrophoderma: See Atrophy
Vermiculata: See Folliculitis
Atrophy: See also Acrodermatitis chronica atrophicans; and under names of organs and regions
congenital cutaneous atrophy on hands and shins; recent dysphagia, 198
poikiloderma atrophicans vasculare Jacobi; cutaneous changes typical of this disease in patient with late meningovascular neurosyphilis, *333
scleroderma, atrophoderma or acrodermatitis atrophicans chronica, 666
Avitaminoses: See under Vitamins
Axilla: See Sweat Glands
Ayres, S., Jr.: Congenital defect of hair, 433
Late syphilis; case for diagnosis, 155
Necrobiosis lipoidica diabeticorum, 62

BCG: See under Tuberculosis
Bacillus: See Bacteria
Bacteria: See Staphylococci; Streptococci; etc.
Actinobacilli: See Actinomycosis
Calmette-Guérin: See Tuberculosis
Ducrey's: See Chancroid
Leprosy: See Leprosy
Tularense: See Tularemia
Baldness: See Alopecia
Bancroft, I. R.: Pigmented nevus, 152
Barker, L. P.: Contact dermatitis; dermatitis medicamentosa; case for diagnosis, 73
Residual eruption following acute dermatitis from oil, 401
Barr, J. H.: Acanthosis nigricans; benign type with acne and active duodenal ulcer, 69
Acrosclerosis with Raynaud's disease, 70
Periarteritis nodosa; case for diagnosis, 72
Bazin's Disease: See Erythema induratum
Becker, S. W.: Lichen amyloidosis in 2 sisters; case for diagnosis, 192
Beerman, H.: Morphea-like scleroderma, 65
Raynaud's disease; syphilis of central nervous system, 65
Behcet Syndrome: See under Eyes; Genitals; Stomatitis
Belisario, J. C.: Example of need for dermatologic publicity of developments in radiologic physics, *115
Benzyl Benzoate: See Scabies
Berlock Dermatitis: See Pigmentation
Besnier-Boeck's Disease: See Sarcoidosis
Biberstein, H.: Immunization therapy for lichen planus, *355
Binkley, G. W.: Acanthosis nigricans; benign type with acne and active duodenal ulcer, 69
Biopsy: See Cancer
Biotropism: See Syphilis
Birds; scabies, 161
Birthmark: See Nevi
Bismuth and Bismuth Compounds; fixed eruption (arsenic; bismuth?), 666
pityriasis-rosea-like, lichen-planus-like, eruption following antisyphilitic therapy; case for diagnosis, 658
Therapy: See also under names of various diseases, as Scleroderma; Syphilis; etc.
therapy in jaundice during antisyphilitic treatment, 46
Blastomycosis, 530
Blennorrhagia: See Gonorrhea; Keratosis blennorrhagica
Blood, Diseases: See Leukemia; etc.
sedimentation rate in syphilis, 387
simple technic for estimation of penicillin in blood and other body fluids, 512
transfusion; pemphigus vulgaris; successful results following transfusion with blood from persons who had recovered from disease, *249
Bloom, D.: Persistent edema of hands and forearms, 174
Pityriasis rubra pilaris, 523, 524
Blue Nevus: See Pigmentation, cutaneous
Bluefarb, S. M.: Atrophoderma vermiculatum, 192
Body Fluids: See Fluids
Boeck Sarcoid: See Sarcoidosis
Bones: See also under names of bones
Diseases: See Osteomyelitis; etc.
lesions of congenital syphilis in infants and adolescents, 386
tuberculosis cutis; lupus vulgaris; inactive osseous tuberculosis, 66

Book Reviews:
Chemistry of Leather Manufacture; G. D. McLaughlin and others, 436
Electrotherapy and Light Therapy with the Essentials of Hydrotherapy and Mechanotherapy; R. Kovacs, 678
Histologic Changes of Skin in Favus and Trichophytosis in Process of Roentgen Epilation; W. Arutunoff, 678
Physical Chemistry of Cells and Tissues; R. Höber and others, 436
Studies in Biophysica: Critical Temperature of Serum (56°); L. du Noüy, 562

Bordet-Wassermann Reaction: See Syphilis; Wassermann Reaction
Boron Compounds, boric acid ointment intoxication, 383
Bourneville-Pringle Disease: See Sclerosis, tuberous
Bowen's Disease: See Cancer, precancer
Brain: See Meninges; Nervous System; etc.
Syphilis: See Neurosyphilis

Brocq's Disease: See Alopecia cicatrisata
Brooke-Morrow's Disease: See Keratosis follicularis
Bubo, Chancroid: See Chancroid
Climatic: See Lymphogranuloma Venereum
Bubonulus: See Granuloma inguinale
Bullosis: See Vesication
Burch, G. E.: Diffusion of water through dead plantar, palmar and torsal human skin and through toe nails, *39
Burns; boric acid ointment intoxication, 383
Buschke's Disease: See Scleroderma

Calcium and Calcium Compounds, Penicillin: See Penicillin
Callosities: See Keratosis
Calmette-Guérin Tuberculin: See Tuberculosis
Cancer: See also Epithelioma; Melanocarcinoma; Sarcoma; Tumors; and under names of organs and regions
cutaneous, from point of view of radiologist, *586
cutaneous, from standpoint of dermatologist, *563
cutaneous, from surgeon's point of view, *573
cutaneous, gross pathology, *597
cutaneous, histopathology, *599
cutaneous, symposium on diagnosis and treatment, *563
factors influencing choice of treatment, *580
of skin, early diagnosis, *570
precancer; Bowen's disease; case for diagnosis, 674
precancer; Bowen's disease with metastases to right inguinal nodes, 78
treatment of cutaneous epithelioma, *576
treatment of metastatic carcinoma in regional lymph nodes, *584
Cannon, A. B.: Leukemia cutis; case for diagnosis, 426
Microaerophilic ulcer; case for diagnosis, 419
Multiple osteomas, 208
Multiple pigmented hairy nevi (melanocarcinoma?), 413
Mycosis fungoides (tumor stage), 212
Capsules and powders, 45
Carcinoma: See Cancer
Cardiovascular Diseases: See also Heart
syphilis; treatment with penicillin, 295
Caro, M. R.: Lichen planus; case for diagnosis, 542
Carotene: See Vitamins, A
Castor Oil, Sulfonated: See Detergents
Cataract, bilateral matured, complicating atopic dermatitis, 663
with hemangioma of orbit, 206
Cauda Equina: See Spinal Cord
Cells: See also Tissue; etc.
giant cell reticulosis, 180
Cerebrospinal Fluid; blood and spinal fluid tests for syphilis in malarial patients, 294
Cervix: See under Uterus
Chancre, Lymphogranulomatous: See Lymphogranuloma Venereum
Soft: See Chancroid
Chancroid, management in tropical theater, 294
Chaoul contact or short-distance roentgen therapy, *577
Charcot's Joints: See Tabes Dorsalis
Chard, F. H.: Treatment of congenital and of acquired syphilis in infants and in children by penicillin, *625
Cheilitis: See Lips, diseases
Chemotherapy: See under names of diseases and chemotherapeutic agents, as Dementia Paralytica; Neurosyphilis; Penicillin; Syphilis; etc.
Chest: See Thorax
Chilblains; pernio with milia, 653
Children: See also Infants
observations on scabies at St. Pancras Bathing Center, 46
treatment of congenital and of acquired syphilis in infants and in children by penicillin, *625
Chloasma: See under Pigmentation
Choanae: See Nose
Cholesterol: See Lipoids
Christian-Schüller Syndrome: See Schüller-Christian Syndrome
Christian-Weber's Disease: See Panniculitis
Chromomycosis: See Blastomycosis
Cipollaro, A. C.: Basal cell epithelioma, 422
Bazin's disease; multiple thromboses; case for diagnosis, 164
Blastomycosis, 530
Bowen's disease; case for diagnosis, 674
Generalized progressive scleroderma, 531
Hydrocystoma, 416
Spiegler-Fendt sarcoid, 166
Tertiary syphilis, 425
Treatment of tinea capitis with roentgen rays, *458
Civatte's Disease: See Poikiloderma
Ciljat-Petges Disease: See Poikilodermatomyositis
Climate: See Seasons
Cobalt, metallic, allergic dermatitis due to, 385
Cohen, D. M.: Lymphoblastoma, 194
Psoriasis; case for diagnosis, 544
Xeroderma pigmentosum; case for diagnosis, 202
Cole, H. N.: Acrosclerosis with Raynaud's disease, 70
Combes, F. C.: Epidermodysplasia verruciformis, 421
Comedone: See Nevi
Communicable Diseases: See Immunity; Meningitis; Syphilis; etc.
Complement-Fixation Reaction: See Lymphogranuloma Venereum; Syphilis
Condyloma latum in nostrils; secondary syphilis, 655
treatment of soft warts with podophyllin, 137
Congress: See Societies
Conjunctivitis; dermatitis of lids from penicillin, 385
Cornbleet, T.: Bullous eruption; case for diagnosis, 197
Lymphoblastoma, 194
Perifolliculitis capitis abscedens et suffodiens, cleared with penicillin, 543
Psoriasis; case for diagnosis, 544
Correction in transcript of article by Drs. Erich Urbach and John W. Lentz entitled "Carbohydrate Metabolism and the Skin" (Arch. Dermat. & Syph. 52: 301 [Nov.-Dec.] 1945), 277
Corson, E. F.: Herpes simplex, recurrent; acne varioliformis; case of diagnosis, 68
Costa, O. G.: Unusual case of warts, *604
Costello, M. J.: Dermatitis herpetiformis of unusual type, 75
Dermatomyositis with Raynaud's phenomena, 169
Fibrosarcoma; case for diagnosis, 417
Lichen nitidus, 418
Neurodermatitis improved by injections of histamine phosphate, 399
Ocular and oral pemphigus, 165
Parapsoriasis, 427
Pityriasis rosea associated with oral lesions in child, 73
von Recklinghausen's disease in mother, forme fruste type in son and daughter, 204
Tuberculosis orificialis, 525
Counter, C. E.: Infectious eczematoid dermatitis (resistant to therapy), 62
Localized scleroderma; results of bismuth therapy, 432

Counter, C. E.—Continued
Pigmented purpuric lichenoid dermatitis of Gougerot and Blum; case for diagnosis, 61
Couperus, M.: Folliculitis ulerythematosa reticulata, 432
Syphilitic verruciform melanoleukoderma; case for diagnosis, 533
Crawford, G. M.: Lipid proteinosis, generalized, 178
Lymphoma; furunculosis; case for diagnosis, 182
Poikiloderma vasculare atrophicans, 176
Creeping Eruption; DDT in treatment of scabies, larva migrans and pediculosis pubis, *381
Cupric Sulfate; treatment of dermatophytosis and hyperhidrosis with formaldehyde and cupric sulfate iontophoresis, *34
Curth, H. O.: Triple symptom complex of Behcet, 147
Cutis rhomboidalis nuchae, 297, 388
Cymbopogon Citrates: See Lemon Grass Oil
Cysts: See under names of organs and regions
Cytology: See Cells

Dandruff: See Seborrhea
Darier's Disease: See Keratosis follicularis
Darling's Disease: See Histoplasmosis
Davis, W. C.: Purpura due to iodides; report of case, *644
DDT: See Dichlorodiphenyltrichloroethane
Decker, H. B.: Parapsoriasis varioliformis, 665
Deficiency Diseases: See Vitamins; etc.
Degeneration, Amyloid: See Amyloidosis
Deglutition, disorders; congenital cutaneous atrophy on hands and shins; recent dysphagia, 198
Dementia Paralytica; penicillin for neurosyphilis, 383
treatment with penicillin, 384
Dentition: See Teeth
De Oreo, G.: Tropical ulcer, 53
Depigmentation: See Pigmentation
Depilation: See Hair, removal
Dermatitis: See also Acrodermatitis; Eczema; Neurodermatitis; etc.
Acneform: See Acne
Actinica: See under Light
Arsphenamine: See Arsphenamines
Atopic: See Eczema; Neurodermatitis
Atrophicans: See Atrophy
Blastomycetic: See Blastomycosis
Contact: See Dermatitis venenata
dermatophytosis and other forms of intertriginous dermatitis of feet; comparison of therapeutic methods, *213
Eczematous: See Eczema
exfoliativa associated with amebic dysentery, *506
exfoliativa following arsphenamine therapy; observations on 50 cases, 648
exfoliativa or premycotic mycosis fungoides, 66
factitia or streptotrichosis, 167
Gangraenosa: See Gangrene
herpetiformis, 77, 205, 305, 661
herpetiformis; case for diagnosis, 58
herpetiformis followed by lesions resembling lichen planus, 664
herpetiformis; hydroa estivale, 304
herpetiformis of unusual type, 75
herpetiformis or impetigo herpetiformis, 207
lemon grass oil; primary irritant and sensitizing agent, *94
Medicamentosa: See also under names of drugs, as Arsenic and Arsenic Compounds; Arsphenamines; Bismuth and Bismuth Compounds; Ergot and Ergot Preparations; Penicillin; Phenolphthalein and Phenolphthalein Derivatives; Tryparsamide; etc.
medicamentosa; case for diagnosis, 424
Dermatitis—Continued
medicamentosa or contact dermatitis, 73
Multiformis: See Dermatitis herpetiformis
neurogenic; avitaminosis, 553
Occupational: See under Industrial Diseases
pigmented purpuric lichenoid dermatitis of Gougerot and Blum; case for diagnosis, 61
purpuric lichenoid, or Schamberg's disease, 518
repens; case for diagnosis, 175
repens; penicillin in topical treatment of pyogenic infections of skin; clinical and laboratory observations, *234
Roentgen Ray: See under Roentgen Rays
seasonal, due to albumin fraction of timothy pollen, 385
Seborrheic: See Seborrhea
Solar: See under Light
theophylline ethylenediamine as antipruritic agent; preliminary report, *281
treatment of severe pustular dermatoses and staphylococcic septicemia by oral administration of penicillin, *128
types in American onchocerciasis, *79
Venenata: See also under Oil; Rubber; Turpentine; etc.
venenata; contact dermatitis; analysis or tabulation of all cases proved in single year, *265
venenata; contact dermatitis; case for diagnosis, 74
venenata; contact dermatitis caused by zinc chromate paint, 403
venenata; contact dermatitis due to frequent contact with thinner, 405
venenata due to nail coating, 200
venenata due to soap, 411
venenata; epidermal sensitivity to penicillin, *365
venenata from Army spectacles, 46
venenata from rubber gloves, 205
venenata; persistent contact dermatitis, 407
venenata; residual eruption following acute dermatitis from oil, 401
Dermatofibroma protuberans, 553
Dermatologist, cutaneous cancer from standpoint of, *563
Dermatology; American Board of Dermatology and Syphilology; change in date of examination, 47
brief history in New York City; its share in progress of specialty in America, 649
example of need for dermatologic publicity of developments in radiologic physics, *115
Dermatomycosis: See Mycosis, cutaneous; Ringworm
Dermatomyositis, 188, 189, 519
with Raynaud's phenomena, 169
Dermatophytes: See Fungi
Dermatophytids: See Mycosis, cutaneous; Ringworm
Dermatophytosis: See Mycosis, cutaneous; Ringworm
Dermatoses: See Dermatitis; Eczema; Skin, diseases; etc.
Detergents: See also Soaps
use of sulfated oil for cleansing external auditory canal, *19
Diabetes Mellitus, necrobiosis lipoidica diabeticorum, 62, 156, 515
Diathermy: See under names of diseases, organs and regions, as Hair, removal; Verruca; etc.
Dichlorodiphenyltrichloroethane: See also Creeping Eruption; Pediculosis; Scabies; etc.
case of DDT poisoning in man, 651
Diet and Dietetics See Vitamins
Diethylstilbestrol: See Estrogens
Diffusing Factors: See Skin, permeability
Disk, Optic: See Nerves, optic

D

Dobes, W. L.: DDT in treatment of scabies, larva migrans and pediculosis pubis, *381
  Erythema streptogenes, *107
  Tyrothricin in treatment of diseases of skin, *498
Donors: See Blood transfusion
Drugs, Eruptions: See under names of drugs, as Arsenic and Arsenic Compounds; Arsphenamines; Bismuth and Bismuth Compounds; Penicillin; Phenolphthalein and Phenolphthalein Derivatives; Sulfonamides; etc.
Duhring's Disease: See Dermatitis herpetiformis
Duodenum, Ulcer: See Peptic Ulcer
Durand-Nicolas-Favre's Disease: See Lymphogranuloma Venereum
Dyschromia: See Vitiligo
Dysentery, Amebic: See Amebiasis
Dyshidrosis: See under Sweat Glands
Dyskeratosis: See Keratosis
Dysphagia: See Deglutition, disorders
Dystrophy: See Nails

Ear; congenital fistula, 151
  external otitis; penicillin in topical treatment of pyogenic infections of skin; clinical and laboratory observations, *234
  otitis externa, 46
  use of sulfated oil for cleansing external auditory canal *19
Ecthyma, penicillin in topical treatment of pyogenic infection of skin; clinical and laboratory observations, *234
  terebrant (rare form of tuberculid), 512
Ectodermal Defect, congenital ectodermal dysplasia of anhidrotic type, 297, 338
Ectodermosis Erosiva Pluriorificialis: See Erythema multiforme
Eczema, Atopic: See Neurodermatitis
  autolytica, 137
  chronic allergic dermatitis, 159
  contact dermatitis; analysis or tabulation of all cases proved in single year, *265
  dermatitis of hands due to atopic allergy to pollen, *437
  infectious eczematoid dermatitis (resistant to therapy), 62
  penicillin in topical treatment of pyogenic infections of skin; clinical and laboratory observations, *234
  Seborrheic: See Seborrhea
  simulating leprosy; case for diagnosis, 303
  types of dermatitis in American onchocerciasis, *79
  use of sulfated oil for cleansing external auditory canal, *19
Edema: See also under names of organs and regions
  persistent, of hands and forearms, 174
  types of dermatitis in American onchocerciasis, *79
Education, course in histopathology of skin, 47
Electrocardiography: See under Heart
Electrocoagulation: See Hair, removal; Verruca
Electrodesiccation: See Hair, removal; Verruca
Electrolysis: See Hair removal
Electrosurgery: See Verruca
Elliott, J. A.: Epithelioma; report on 1,742 treated patients, *307
Embolism: See Thrombosis
Emmet, R.: Keratosis blennorrhagica; its response to penicillin, *278
Endamebiasis: See Amebiasis
Endamoeba Histolytica: See Amebiasis
Endocrine Therapy: See under name of glands and hormones
Engman, M. F., Jr.: Penicillin ointment in treatment of some infections of skin, *213
Eosinophils: eosinophilic granuloma; case for diagnosis, 559
Epidermis: See Skin
Epidermodysplasia Verruciformis: See Verruca
Epidermolysis bullosa, 72, 661
  bullosa acquisita complicated by annular vegetative iododerma, 56
  bullosa hereditaria, 61
  bullosa simplex of hands and feet; genetic study of hereditary type, *610
  bullosa with palmar and plantar keratosis and verrucous lesions at sites of previous lesions, 517
Epidermomycosis; Epidermophytosis: See Mycosis, cutaneous; Ringworm
Epidermophyton: See Fungi; Mycosis, cutaneous
Epilation: See Hair, removal
Epilepsy: See Sclerosis, tuberous
Epithelioma, basal cell, 422
  basal cell; granuloma annulare with lesions limited to face and resembling basal cell epitheliomas, 523
  cutaneous cancer from standpoint of dermatologist, *563
  cutaneous cancer from surgeon's point of view, *573
  cutaneous, treatment of, *576
  early diagnosis of cancer of skin, *570
  gross pathology, *597
  morphea-like basal cell epithelioma with ulceration, 52
  multiple superficial epitheliomatosis, 520
  of skin, radiotherapy of, *588
  of skin, roentgen ray therapy, *576
  of skin, surgical treatment, *579
  report on 1,742 treated patients, *307
  superficial basal cell, 46
Epstein, E.: Theophylline ethylenediamine as antipruritic agent; preliminary report, *281
Epstein, N. N.: Fox-Fordyce disease, 306
Epstein, S.: Familial benign chronic pemphigus; report of case, *119
Ergot and Ergot Preparations; arteriosclerotic ulcer with scleroderma-like changes; ergotism; case for diagnosis, 397
Eruptions: See under Arsenic and Arsenic Compounds; Arsphenamines; Skin, diseases; etc.
Erysipelas; recurrent fixed erysipelas-like dermatophytid, *10
Erythema annulare centrifugum, 59
  annulare of face and neck and chronic dermatophytosis of feet, 429
  exudativum multiforme, *99, 557
  induratum; Bazin's disease or multiple thromboses, 164
  induratum; nodular vascular diseases, 383
  multiforme, 649, 676
  multiforme bullosum; case for diagnosis, 549
  multiforme perstans; case for diagnosis, 211
  streptogenes, *107
Erythrocytes, Sedimentation: See under Blood
Erythroderma Exfoliativum: See Dermatitis exfoliativa
  Maculopapular: See Parapsoriasis
Erythrose pigmentaire péribuccale (Brocq); early rhinophyma; tinea versicolor, 67
Esthiomene: See Lymphogranuloma Venereum
Estradiol: See Estrogens
Estrogens; keratodermatitis hypoestrogenica? 515
Estrone: See Estrogens
Extremities: See also Foot; Legs; etc.
  Blood Supply: See also Raynaud's Disease; etc.
  blood supply; trench foot; diagnostic value of "ischemic pain," 648
  Ulcers: See Ulcers; Varicose Veins
Eyelids; dermatitis of lids from penicillin, 385
  lupus erythematosus of eyelids, chest and neck, 150
Eyes: See also under names of special structures and diseases of eye

Eyes—Continued
dermal and ocular pemphigus, 303
ocular and oral pemphigus, 165
triple symptom complex of Behcet, 147

Face; cervicofacial actinomycosis, 385
chronic dermatophytosis of feet and erythema annulare of face and neck, 429
granuloma annulare with lesions limited to face and resembling basal cell epitheliomas, 523
mycosis fungoides; 2 unusual types, 1 presenting leonine facies; the other, parapsoriasis (?) in patches for 30 years, 649
Factories: See Industrial Diseases
Fasal, P.: Dermal and ocular pemphigus, 303
Dermatitis herpetiformis, 305
Fat: See Lipoids
Favre-Nicolas' Disease: See Lymphogranuloma Venereum
Favosa: See Favus
Favus, 544
Feet: See Foot
Felsher, I. M.: Poikiloderma of Civatte; berlock dermatitis; pigmentary disturbance of skin, 199
Felsher, Z.: Juvenile xanthoma (nevoxanthoendothelioma of McDonagh), 198
Fendt-Spiegler Sarcoid: See Sarcoidosis
Fetus: See Pregnancy
Fever: See Malaria; etc.
Fibroma or neurofibroma, 140
Fibrosarcoma; case for diagnosis, 417
Fifth Venereal Disease: See Granuloma inguinale
Figueroa Ortiz, L.: Types of dermatitis in American onchocerciasis, *79
Filariasis, histopathologic study, 650
review of recent findings, 648
Fingers and Toes, Nails: See Nails
Finnerud, C. W.: Pemphigus erythematosus limited to nose; case for diagnosis, 203
Fistula, congenital, 151
Fluids; simple technic for estimation of penicillin in blood and other body fluids, 512
Fluorescence: nonfluorescent ringworm of scalp, 384
tinea capitis, cured with local applications, 389
tinea capitis, partly cured twice with local applications and now resistant to treatment, 389
Foley, E. J.: Tyrothricin in cutaneous infections, 291
Folliculitis; atrophoderma vermiculatum (?), 192
penicillin in topical treatment of pyogenic infections of skin; clinical and laboratory observations, *234
ulerythematosa reticulata, 432
Food: See Vitamins
Foot: See also Ankle; etc.
chronic dermatophytosis of feet and erythema annulare of face and neck, 429
dermatophytosis and other forms of intertriginous dermatitis of feet; comparison of therapeutic methods, *213
dermatophytosis of hands and feet, 411
epidermolysis bullosa simplex of hands and feet; genetic study of hereditary type, *610
Gangrene: See Gangrene
trench foot; diagnostic value of "ischemic pain," 648
Fordyce-Fox Disease: See Fox-Fordyce Disease
Forearm, chronic lupus erythematosus with reticulation of, 78
persistent edema of hands and forearms, 174
Formaldehyde: See Sweat Glands
Foster, P. D.: Periadenitis mucosa necrotica recurrens, 162
Ulcerative late syphilis of throat (good results from treatment with penicillin), 59
Fourth Venereal Disease: See Lymphogranuloma Venereum
Fox, H.: Recurring stomatitis, 418
Sycosis vulgaris (of ten years' duration), 671
Fox-Fordyce Disease, 306
Frambesia; pustuloulcerative (frambesiform) syphilid, 393
Franks, A. G.: DDT in treatment of scabies, larva migrans and pediculosis pubis, *381
Tyrothricin in treatment of diseases of skin, *498
Freeman, H. E.: Hodgkin's disease, 431
Monocytic leukemia cutis, 156
Necrobiosis lipoidica diabeticorum, 156
Syphilis with amyotrophic lateral sclerosis, 535
Frei Reaction: See Lymphogranuloma Venereum
Freis, E. D.: Treatment of dermatophytosis and hyperhidrosis with formaldehyde and cupric sulfate iontophoresis, *34
Frostbite: See Chilblains
Fruchtbaum, L. M.: Circumscribed scleroderma, 300
Malignant melanoma, 299
Fujii, T.: Dermatitis herpetiformis; case for diagnosis, 58
Fungi: See also Actinomycosis; Blastomycosis; Mycosis; Ringworm; etc.
fungous disease or lupus erythematosus, 68
isolation of dermatophytes; new procedure for use in presence of saprophytic fungi, especially in mixed cultures and from leather, *481
Fungicides: See Ringworm
Furunculosis or lymphoma, 182
Fusospirochetosis, penicillin sodium for, 384
therapeutic effectiveness of penicillin in treatment of Vincent's stomatitis and its failure to influence favorably certain other medical conditions, 511

Gabby, W. H.: Treatment of congenital and of acquired syphilis in infants and in children by penicillin, *625
Gaehtgens' Reaction: See under Syphilis
Gangrene: See also Raynaud's Disease
acute idiopathic circumscribed cutaneous; report of 2 cases, *477
Gastric Ulcer: See Peptic Ulcer
Gauvain, E. A.: Alfred Potter, 288
Verruca plana juvenilis, 298
General Paralysis: See Dementia Paralytica
Genitals: See also under name of genitals, as Penis; etc.
triple symptom complex of Behcet, 147
Gerlach, M. J.: Case for diagnosis, 64
Tuberculosis cutis; lupus vulgaris; inactive osseous tuberculosis, 66
Gilchrist's Disease: See Blastomycosis
Gingivitis: See Fusospirochetosis
Glass, F. A.: Dermatophytosis and other forms of intertriginous dermatitis of feet; comparison of therapeutic methods, *213
Glasses, dermatitis from Army spectacles, 46
Glaucoma with nevus flammeus, *503
Glossitis: See Tongue
Gloves, rubber, dermatitis venenata from, 205
Gold and Gold Compounds, Therapy: See Vitiligo
Goldberg, S.: Nevus flammeus with glaucoma, *503
Goldfarb, R. H.: Lupus erythematosus, 182
Goldman, L.: Cheilitis from local use of penicillin solutions in mouth; report of case, *133
Types of dermatitis in American onchocerciasis, *79

Goldstein, L.: Avitaminosis; neurogenic dermatitis, 553
Goldstein's Disease: See Telangiectasia
Goldzieher, J. W.: Adrenal glands in pemphigus vulgaris; report of case, *42
Gomez, J. E.: Tokelau in Guatemala, *243
Gonorrhea: See also Venereal Diseases
keratosis blennorrhagica; its response to penicillin, *278
penicillin in gonorrhea and syphilis, 650
Goodman, J.: Lichen planus; case for diagnosis, 184
Tinea capitis in adult, 185
Gordon Test: See Hodgkin's Disease
Gots, J. S.: Penicillin in topical treatment of pyogenic infections of skin; clinical and laboratory observations, *234
Gottschalk, H. R.: Epidermal sensitivity to penicillin, *365
Penicillin ointment in treatment of some infections of skin, *226
Grace, A. W.: Pemphigus vulgaris; successful results following transfusion with blood from persons who had recovered from disease, *249
Grafts: See under Skin
Graham, J. C.: Erythema multiforme persistans; case for diagnosis, 211
Pigmentation of lip and buccal mucosa; case for diagnosis, 667
Graham, T. N.: Streptotrichosis; dermatitis factitia; case for diagnosis, 167
Xeroderma pigmentosum; case for diagnosis, 172
Granuloma annulare, 517
annulare or sarcoidosis, 71
annulare with lesions limited to face and resembling basal cell epitheliomas, 523
case for diagnosis, 64
eosinophilic; case for diagnosis, 559
Fungoides: See Mycosis fungoides
Inguinale: See also Lymphogranuloma Venereum
inguinale; intradermal reaction as aid in diagnosis, 45
inguinale, osteomyelitis caused by; report of case with cultivation of Donovan body in yolk sac of developing chick embryo, 292
Malignant: See Hodgkin's Disease
Paracoccidioidal: See Blastomycosis
pyogenicum, or multiple hemorrhagic sarcoma of Kaposi, 67
Tropicum: See Frambesia
Venereal: See Granuloma inguinale; Lymphogranuloma Venereum
Graves, J.: Eczema simulating leprosy; case for diagnosis, 303
Greenbaum, S. S.: Avitaminosis; neurogenic dermatitis, 553
Dermatofibroma protuberans, 553
Greenberg, A.: Acrosclerosis (Sellei), 547
Groin; Bowen's disease with metastases to right inguinal nodes, 78
psoriasis; roentgen ray dermatitis of groins, scrotum and scalp; roentgen ray ulcer of perineal area, 527
Gross, E. R.: Purpura annularis telangiectodes, 552
Gumma: See Syphilis, tertiary
Gums, Diseases: See Fusospirochetosis

Habermann's Disease: See Pityriasis lichenoides et varioliformis acuta
Hailey's Disease: See Pemphigus
Hair, abnormalities; congenital defect of hair, 433
Diseases: See Alopecia
hypertrichosis with mental changes; effect of adrenalectomy, 651
Plucking: See Trichotillomania
removal; tattoo or postinflammatory hyperpigmentation, 148
trichomalacie; hitherto unknown disease of scalp, 138
trichotillomania, 518
Hall, A. F.: Arsenical keratoses disappearing with vitamin A therapy, 154
Multiple sarcoids (Boeck), 60
Pityriasis rubra pilaris, 539
Pseudopelade, 59
Rosacea; case for diagnosis, 153
Tuberculosis verrucosa cutis; case for diagnosis, 428
Hallopeau's Disease: See Acrodermatitis
Hanchett, L. J.: Treatment of congenital and of acquired syphilis in infants and in children by penicillin, *625
Hand, dermatitis due to atopic allergy to pollen, *437
dermatophytosis of hands and feet, 411
epidermolysis bullosa simplex of hands and feet; genetic study of hereditary type, *610
keratosis of palms (treated), 527
persistent edema of hands and forearms, 174
Hand-Schüller-Christian Disease: See Schüller-Christian Syndrome
Hansen's Disease: See Leprosy
Hardy, M. K.: Sarcoidosis with involvement of nose, 393
Vitamin A deficiency producing follicular hyperkeratosis, 392
Harris, W.: Cutaneous cancer from point of view of radiologist, *586
Hartmann, F. L.: Intrahepatic obstructive jaundice due to neoarsphenamine; ineffectiveness of therapy, *620
Hawaii, incidence of dermatoses in office practice in, *6
Hay Fever: See Anaphylaxis and Allergy; Pollen
Hazen, H. H.: Acne indurata in identical twins treated by penicillin, *232
Heart; initial cardiac examination of 23,000 inductees and volunteers, 509
Hellman, L. D.: Pemphigus vulgaris; successful results following transfusion with blood from persons who had recovered from disease, *249
Hemangioendothelioma or hemangiofibroma, 149
Hemangiofibroma or hemangioendothelioma, 149
tuberosum multiplex combined with hemangioma cavernosum associated with probable involvement of right optic and acoustic nerves, 142
Hemangioma cavernosum combined with hemangiofibroma tuberosum multiplex associated with probable involvement of right optic and acoustic nerves, 142
cavernous with ulceration, 141
of orbit with cataract, 206
Hemangiopericytoma, 672
Hematology: See Blood; Hemopoietic System
Hemophilus Ducreyi: See Chancroid
Hemopoietic System, Diseases: See Leukemia; etc.
reactions to agents used in treatment of dermatoses; effects of low voltage roentgen ray therapy, *1
Hemorrhage, Cutaneous: See Purpura
Hepatitis: See Jaundice
Herpes simplex, recurrent, or acne varioliformis, 68
Hidradenitis: See under Sweat Glands
Hinnant, I. M.: Lupus erythematosus, 158
Hinton Test: See Syphilis
Histamine Phosphate: See Neurodermatitis
Histoplasmosis in man, 293
Hodgkin's Disease, 431
Hoogstraten, J.: Poikiloderma atrophicans vasculare Jacobi; cutaneous changes typical of this disease in patient with late meningovascular neurosyphilis, *333
Hormones: See Estrogens; etc.
Howell, J. B.: Contact dermatitis; analysis or tabulation of all cases proved in single year, *265

Hubler, W. R.: Sarcoidosis; granuloma annulare; case for diagnosis, 71
Hutchinson-Boeck Sarcoid: See Sarcoidosis
Hydroa Estivale: See Dermatitis herpetiformis
Hydrocystoma, 416
Hyman, A. B.: Oxophenarsine hydrochloride in treatment of lupus erythematosus, *26
Hyperergy: See Anaphylaxis and Allergy
Hyperhidrosis: See Sweat Glands
Hyperkeratosis: See Keratosis
Hyperpigmentation: See Pigmentation
Hypertrichosis: See under Hair
Hypodermatitis: See Tuberculosis
Hypotrichosis: See Alopecia

Ichthyosis Simplex: See Xeroderma
Icterus: See Jaundice
Idiosyncrasy: See Anaphylaxis and Allergy; and under names of substances
Immunity: See also Anaphylaxis and Allergy; etc.
immunization therapy for lichen planus, *355
Impetigo herpetiformis or dermatitis herpetiformis, 207
penicillin in topical treatment of pyogenic infections of skin; clinical and laboratory observations, *234
treated with sodium penicillin cream, 650
treatment, 651
Industrial Diseases, allergic dermatitis due to metallic cobalt, 385
contact dermatitis; analysis or tabulation of all cases proved in single year, *265
contact dermatitis caused by zinc chromate paint, 403
contact dermatitis due to frequent contact with thinner, 405
dermatitis due to nail coating, 200
persistent contact dermatitis, 407
residual eruption following acute dermatitis from oil, 401
tattoo-like staining following occupational dermatitis, 407
urticaria due to trinitrotoluene, *134
Industry, late effects of scalping, 402
Infants: See also Children
bone lesions of congenital syphilis in infants and adolescents, 386
treatment of congenital and of acquired syphilis in infants and in children by penicillin, *625
Infection: See Wounds
Inguinal Glands: See Lymph Nodes
Region: See Groin
Injections: See also Blood transfusion
theophylline ethylenediamine as antipruritic agent; preliminary report, *281
Insensible Perspiration: See Metabolism
Instruments: See Apparatus
Iodides: See Iodine and Iodine Compounds
Iodine and Iodine Compounds; epidermolysis bullosa acquisita complicated by annular vegetative iododerma, 56
purpura due to iodides; report of case, *644
Therapy: See Ringworm
Iododerma: See under Iodine and Iodine Compounds
Iontophoresis, treatment of dermatophytosis and hyperhidrosis with formaldehyde and cupric sulfate iontophoresis, *34
Irgang, S.: Micropapular tuberculid in Negro, *372
Itching: See Pruritus

Jacobi-Petges' Disease: See Poikiloderma atrophicans vasculare
Jadassohn's Disease: See Pigmentation, cutaneous
James, L. H.: Isolation of dermatophytes; new procedure for use in presence of saprophytic fungi, especially in mixed cultures and from leather, *481
Jamieson, R. C.: Atopic eczema, 412
Dermatophytosis of hands and feet, 411
Jaundice during antisyphilitic treatment (bismuth therapy), 46
intrahepatic obstructive, due to neoarsphenamine; ineffectiveness of therapy, *620
Jensen, A. K.: Epidermolysis bullosa hereditaria, 61
Seborrheic dermatitis; case for diagnosis, 435
Johnson, H. M.: Dermatitis herpetiformis, 661
Epidermolysis bullosa, 661
Late cutaneous syphilis (gumma) with negative serologic reactions, 55
Lichen nitidus, 659
Lichen striatus, 51
Lupus erythematosus superimposed on nevus, 48
Morphea-like basal cell epithelioma with ulceration, 52
"Neural" (early tuberculoid?) leprosy, 54
Nevus unius lateris, 51
Sporotrichosis, 55
Johnson, S. A. M.: Epidermolysis bullosa simplex of hands and feet; genetic study of hereditary type, *610
Johnson-Stevens Disease: See Erythema multiforme
Joints: See under names of joints
Jones, J.: Erythema streptogenes, *107
Jungle Warfare: See Military Medicine
Juxta-Articular Nodules: See Nodes

Kagen, M. S.: Dermatomyositis, 188
Perifolliculitis capitis abscedens et suffodiens, cleared with penicillin, 543
Kahn, B. L.: Erythema exudativum multiforme, 557
Fixed eruption (arsenic; bismuth?), 666
Kahn, R. L.: Optimal zone reaction in diagnosis and treatment of syphilis, *633
Kahn Test: See also under Syphilis
comparative study of Gaehtgens' pallida reaction with Wassermann and Kahn reactions, 46
Kalz, F.: Poikiloderma atrophicans vasculare Jacobi; cutaneous changes typical of this disease in patient with late meningovascular neurosyphilis, *333
Kanee, B.: Reactions of hemopoietic system to agents used in treatment of dermatoses; effects of low voltage roentgen ray therapy, *1
Kaposi's Disease: See Xeroderma pigmentosum
Varicelliform Eruption: See Pyoderma
Sarcoma: See Sarcoma
Karp, F. L.: Electrosurgical removal of plantar warts (loop treatment), *496
Katz, S.: Dermatofibroma protuberans, 553
Pemphigus; apparently favorable response to sulfadiazine therapy, 398
Keddie, F. M.: Xeroderma pigmentosum, 302
Keim, H. L.: Dermatitis due to soap, 411
Kelly, R. J.: Alopecia cicatrisata, 399
Keloid; xanthoma tuberosum; Jacquet posterosive syphiloid, 669
Keratosis, arsenical, disappearing with vitamin A therapy, 154
blennorrhagica; its response to penicillin, *278
epidermolysis bullosa with palmar and plantar keratosis and verrucous lesions at sites of previous lesions, 517
follicularis in mother and daughter, 162
keratodermatitis hypoestrogenica? 515
of palms (treated), 527
palmaris; case for diagnosis, 55
palmaris et plantaris (due to arsenic), 177
vitamin A deficiency producing follicular hyperkeratosis, 392
Klauder, J. V.: Alopecia cicatrisata, 394
Case for diagnosis, 558
Eosinophilic granuloma; case for diagnosis, 559
Morphea improved by bismuth therapy, 392
Kline Test: See under Syphilis

Klingberg, W. G.: Treatment of congenital and of acquired syphilis in infants and in children by penicillin, *625
Klumpp, M. M.: Cavernous hemangioma with ulceration, 141
Dermatitis medicamentosa (probably due to phenolphthalein), 145
Lupus erythematosus of eyelids, chest and neck, 150
Kussmaul-Maier Disease: See Periarteritis nodosa

Larva Migrans: See Creeping Eruption
Lawrence, H.: Alopecia totalis associated with onychodystrophy, 57
Atypical miliaria, 52
Circumscribed neurodermatitis; case for diagnosis, 662
Nevus pigmentosus et verrucosus, 52
Laymon, C. W.: Bowen's disease with metastases to right inguinal nodes, 78
Generalized progressive scleroderma, 77
Keratodermatitis hypoestrogenica? 515
Molluscum contagiosum treated with sulfadiazine, *643
Parapsoriasis; case for diagnosis, 76
Reticulum cell sarcoma, 75
Leather, isolation of dermatophytes; new procedure for use in presence of saprophytic fungi, especially in mixed cultures and from leather, *481
Lee, S. W.: Tyrothricin in cutaneous infections, 291
Legs: See also Extremities; Foot
blood supply; nodular vascular diseases, 388
Ulcer: See Ulcers; Varicose Veins
Leifer, W.: Fixed sulfathiazole eruption of unusual distribution, *125
Leise, J. M.: Isolation of dermatophytes; new procedure for use in presence of saprophytic fungi, especially in mixed cultures and from leather, *481
Lemon Grass Oil; primary irritant and sensitizing agent, *94
Lentigo, 536
Lentz, J. W.: Chronic lymphatic leukemia; cutaneous lesions following irradiation, 395
Erythrose pigmentaire péribuccale (Brocq); early rhinophyma; tinea versicolor, 67
Lenz, M.: Radiotherapy of epithelioma of skin, *588
Leprosy, eczema simulating; case for diagnosis, 303
human, non-acid-fast forms of Mycobacterium of, 649
juxta-articular node of leprous origin, *471
"neural" (early tuberculoid?), 54
or sarcoid, 670
tuberculoid, 50, 51
Leukemia, chronic lymphatic; cutaneous lesions following irradiation, 395
cutis; case for diagnosis, 426
cutis monocytic, 156
Leukocytes: See Eosinophils; Leukemia; etc.
Leukoderma: See Vitiligo
Leukopathia: See Vitiligo
Leukosis: See Leukemia
Lever, W. F.: Dermatitis repens; case for diagnosis, 175
Giant cell reticulosis, 180
Keratosis palmaris et plantaris (due to arsenic), 177
Sarcoidosis of cheek and forehead; tuberculosis luposa; case for diagnosis, 179
Lewis, G. M.: Fibroma; neurofibroma; case for diagnosis, 140
Hemangioendothelioma; hemangiofibroma; case for diagnosis, 149
Hemangioma cavernosum combined with hemangiofibroma tuberosum multiplex associated with probable involvement of right optic and acoustic nerves, 142
Keratosis of palms (treated), 527
Poikilodermatomyositis, 416
Psoriasis arthropathica, 208
Lewis, G. M.—Continued
Pustular psoriasis successfully treated with antimony and potassium tartrate, 143
Tattoo; postinflammatory hyperpigmentation; case for diagnosis, 148
Tinea capitis in 2 year old child, 144
Xanthoma tuberosum; keloid; Jacquet posterosive syphiloid, 669
Lice: See Pediculosis
Lichen Amyloidosis: See Amyloidosis
nitidus, 418, 659
planus, 190
planus; case for diagnosis, 184, 542
planus; dermatitis herpetiformis followed by lesions resembling lichen planus, 664
planus hypertrophicus, 187
planus, immunization therapy for, *355
planus; pityriasis-rosea-like, lichen-planus-like eruption following antisyphilitic therapy; case for diagnosis, 658
sclerosus et atrophicus, 56, 518
sclerosus et atrophicus (Hallopeau), 654
scrofulosus or vitamin A deficiency, 554
scrofulosus (tuberculosis lichenoides), 660
Simplex Chronicus: See Neurodermatitis
striatus, 51
Tropicus: See Miliaria
Lichenification: See Neurodermatitis
Lichens: See Fungi
Lieberthal, E. P.: Poikiloderma of Civatte; berlock dermatitis; pigmentary disturbance of skin, 199
Light: See also Radiations
hydroa estivale, 304
polymorphous dermatosis due to, 138
toxicity; cutis rhomboidalis nuchae, 388
Limbs: See Extremities; Legs
Lindsay, H. C. L.: Charcot joint of right ankle, 538
Chloasma uterinum, 58
Chronic allergic dermatitis, 159
Lingua: See Tongue
Lipids: See Lipoids
Lipoids; lipid proteinosis, generalized, 178
necrobiosis lipoidica, 514, 522
necrobiosis lipoidica; case for diagnosis, 514
necrobiosis lipoidica diabeticorum, 62, 156, 515
Lips; chronic lymphangitis of lower lips, 174
diseases; cheilitis from local use of penicillin solution in mouth; report of case, *133
fixed sulfathiazole eruption of unusual distribution, *125
pigmentation of lip and buccal mucosa; case for diagnosis, 667
psoriasis, 183
Little, R. P.: Use of sulfated oil for cleansing external auditory canal, *19
Locomotor Ataxia: See Tabes Dorsalis
Loop Treatment: See Verruca
Luetin Test: See under Syphilis
Luotest: See under Syphilis
Lupoid: See Sarcoidosis
Lupus: See also Tuberculosis
erythematosus, 63, 158, 182
erythematosus, chronic, with reticulation of forearms, 78
erythematosus disseminatus (response to sulfadiazine?), 53
erythematosus of eyelids, chest and neck, 150
erythematosus or fungous disease, 68
erythematosus or papulonecrotic tuberculid, 74
erythematosus or seborrheic dermatitis, 551
erythematosus; oxophenarsine hydrochloride in treatment, *26
erythematosus, subacute disseminated, 172, 660
erythematosus superimposed on nevus, 48
erythematosus; telangiectasia of tip of nose; rosacea, 148
Pernio: See Sarcoidosis
vulgaris, extensive, 675

Lupus—Continued
vulgaris treated with promizole (4,2'-diaminophenyl-5-thiazolesulfone), 434
vulgaris; tuberculosis cutis; inactive osseous tuberculosis, 66
Lutterloh, C. H.: Unusual pigmentation developing after prolonged suppressive therapy with quinacrine hydrochloride, *349
Lygranum: See Lymphogranuloma Venereum
Lymph Nodes: See also Leukemia; etc.
periadenitis mucosa necrotica recurrens, 162
treatment of metastatic carcinoma in regional lymph nodes, *584
Lymphadenosis: See Tumors
Lymphangitis, chronic, of lower lip, 174
Tropical: See Filariasis
Lymphoblastoma, 64, 194. See also Hodgkin's Disease
Lymphocytes: See Leukemia, lymphatic
Lymphogranuloma, Hodgkin's: See Hodgkin's Disease
Inguinale: See Granuloma inguinale; Lymphogranuloma Venereum
Schaumann's: See Sarcoidosis
Lymphogranuloma Venereum, studies on, 295
Lymphoma: See also Hodgkin's Disease; Leukemia, lymphatic; etc.
or furunculosis, 182
Lymphopathia Venerea: See Lymphogranuloma Venereum
Lynch, F.: Epidermolysis bullosa with palmar and plantar keratosis and verrucous lesions at sites of previous lesions, 517
Granuloma annulare, 517
Miliary papular tuberculid, 519
Necrobiosis lipoidica diabeticorum, 515

McCarthy, F. P.: Stomatitis, 186
McGuire, J. A.: Localized sensitivity to crude penicillin; report of case, *31
Machacek, G.: Benign pemphigus, 210
Sarcoidosis, 210
MacKee, G. M.: Treatment of tinea capitis with roentgen rays, *458
Madden, J. F.: Case for diagnosis, 516
Dermatomyositis, 519
Glossitis rhombica mediana? 518
Lichen sclerosus et atrophicus, 518
Multiple superficial epithelioma tosis, 520
Necrobiosis lipoidica, 514
Necrobiosis lipoidica; case for diagnosis, 514
Nonsuppurative panniculitis, 517
Pityriasis rosea (tinea versicolor?) with leukoderma, 520
Pseudopelade, 515
Purpuric lichenoid dermatitis or Schamberg's disease, 518
von Recklinghausen's disease; case for diagnosis, 521
Sarcoidosis, 518
Tinea capitis, 516
Maier-Kussmaul Disease: See Periarteritis nodosa
Majocchi's Disease: See Purpura annularis telangiectodes
Malaria, blood and spinal fluid tests for syphilis in malarial patients, 294
effect on serologic tests for syphilis, 510
influence on Kline and complement fixation (Wassermann) tests for syphilis, 386
unusual pigmentation developing after prolonged suppressive therapy with quinacrine hydrochloride, *349
Malnutrition: See Vitamins; etc.
Markowitz, M.: Pustuloulcerative (frambesiform) syphilid, 393
Medicine, Military: See Military Medicine
Naval: See Naval Medicine
Tropical: See Tropical Medicine
Melanin: See Melanoma; Pigmentation
Melanoblastoma, metastatic, 72
Melanocarcinoma or multiple pigmented hairy nevi, 413
Melanoma; blue nevus of Jadassohn and Tièche; report of case, *285
malignant, 299
Mendelsohn, H. V.: Atopic eczema (allergic eczema), 656
Lemon grass oil; primary irritant and sensitizing agent, *94
Meninges, acute syphilitic meningitis; discussion of problems encountered in diagnosis, 510
acute syphilitic meningitis treated with penicillin, 646
poikiloderma atrophicans vasculare Jacobi; cutaneous changes typical of this disease in patient with late meningovascular neurosyphilis, *333
Meningitis, Syphilitic: See under Meninges
Mental Diseases: See also Neuroses and Psychoneuroses
hypertrichosis with mental changes; effect of adrenalectomy, 651
Metabolism, differential roles of layers of human epigastric skin on diffusion rate of water, 292
diffusion of water through dead plantar, palmar and torsal human skin and through toe nails, *39
rate of insensible perspiration (diffusion of water) locally through living and through dead human skin, 292
Metals: See Nickel; Silver; etc.
Metasyphilis: See Syphilis, congenital
Michelson, H. E.: Mycosis fungoides, 76
Trichotillomania, 518
Microfilaria: See Filariasis
Fluorescence: See Fluorescence
Milia; pernio with milia, 653
Miliaria, atypical, 52
Military Medicine: See also Naval Medicine; Recruits; etc.
dermatitis from Army spectacles, 46
initial cardiac examination of 23,000 inductees and volunteers, 509
treatment of skin diseases in tropics, 647
unusual pigmentation developing after prolonged suppressive therapy with quinacrine hydrochloride, *349
Miller, J. L.: Contact dermatitis; case for diagnosis, 74
Lupus erythematosus; papulonecrotic tuberculid; case for diagnosis, 74
Purpura simplex, 73
Mitchell, J. H.: Congenital cutaneous atrophy on hands and shins; recent dysphagia, 198
Molds: See Fungi
Moles: See Nevi
Molluscum contagiosum treated with sulfadiazine, *643
Monocytes: See under Leukemia
Moore, M.: Penicillin ointment in treatment of some infections of skin, *226
Sporotrichosis with radiate formation in tissue; report of case, *253
Morgan, H.: Morphea-like scleroderma, 65
Raynaud's disease; syphilis of central nervous system, 65
Morphea: See Scleroderma
Morrow-Brooke's Disease: See Keratosis follicularis
Morvan Syndrome: See Nervous System, diseases
Mouth: See also Stomatitis; etc.
ocular and oral pemphigus, 165
pigmentation of lip and buccal mucosa; case for diagnosis, 667
pityriasis rosea associated with oral lesions in child, 73
tuberculosis orificialis, 525
Mucous Membrane: See also Lips; Mouth; etc.
Muller, J.: Acrodermatitis atrophicans chronica, 185
Mutscheller, A.: Treatment of tinea capitis with roentgen rays, *454
Mycobacterium: See Leprosy

Mycology: See Fungi; Mycosis
Mycosis: See also Actinomycosis; Blastomycosis; Nails; Ringworm; Tinea; etc.
cutaneous; chronic dermatophytosis of feet and erythema annulare of face and neck, 429
cutaneous; dermatophytosis and other forms of intertriginous dermatitis of feet; comparison of therapeutic methods, *213
cutaneous; recurrent, fixed erysipelas-like dermatophytid, *10
cutaneous; treatment of dermatophytosis and hyperhidrosis with formaldehyde and cupric sulfate iontophoresis, *34
fungoides, 76
fungoides; case for diagnosis, 546
fungoides, premycotic, or exfoliative dermatitis, 66
fungoides (tumor stage), 212
fungoides; 2 unusual types, 1 presenting leonine facies; the other, parapsoriasis (?) in patches for 30 years, 649
Myositis; poikilodermatomyositis, 416

Nail Coating, dermatitis due to, 200
Nails; alopecia totalis associated with onychodystrophy, 57
cutaneous manifestations of fungi causing dermatophytosis and onychomycosis, 383
diffusion of water through dead plantar, palmar and torsal human skin and through toe nails, *39
trophic disturbances of finger nails of both hands caused by functional disturbances of ovaries, 139
Nares: See Nose
Naval Medicine: See also Military Medicine; Recruits; etc.
penicillin; progress report based on 1,455 cases treated at National Naval Medical Center, Bethesda, Maryland, 513
Neck; cervicofacial actinomycosis, 385
chronic dermatophytosis of feet and erythema annulare of face and neck, 429
lupus erythematosus of eyelids, chest and neck, 150
Necrobiosis Lipoidica: See Skin, diseases
Negroes; erythema streptogenes, *107
micropapular tuberculid in, *372
Neilson, A. W.: Treatment of congenital and of acquired syphilis in infants and in children by penicillin, *625
Nelson, H. G.: Treatment of severe pustular dermatoses and staphylococcic septicemia by oral administration of penicillin, *128
Neoarsphenamine: See Arsphenamines; and under names of various diseases, as Syphilis; etc.
Neoplasms: See Cancer; Sarcoma; Tumors; etc.
Nerves: See also Nervous System; Paralysis
acoustic; hemangioma cavernosum combined with hemangiofibroma tuberosum multiplex associated with probable involvement of right optic and acoustic nerves, 142
"neural" (early tuberculoid?) leprosy, 54
optic; hemangioma cavernosum combined with hemangiofibroma tuberosum multiplex associated with probable involvement of right optic and acoustic nerves, 142
tuberculoid leprosy, 50, 51
Nervous System: See also Nerves; Reflex; Spinal Cord; etc.
diseases; 2 cases of Morvan's syndrome of uncertain cause (differentiation from syringomyelia), 293
Syphilis: See Neurosyphilis
Tumors: See under names of tumors, as Neurofibroma; etc.
Netherton, E. W.: Sarcoidosis; granuloma annulare; case for diagnosis, 71
Neurodermatitis; atopic eczema, 412
atopic eczema (allergic eczema), 656
bilateral matured cataracts complicating atopic dermatitis, 663
circumscribed; case for diagnosis, 662
lichen chronicus simplex with nodular growths; case for diagnosis, 673
improved by injections of histamine phosphate, 399
types of dermatitis in American onchocerciasis, *79
Neurofibroma or fibroma, 140
Neurofibromatosis, multiple, with sarcoma (now excised), 396
von Recklinghausen's disease; case for diagnosis, 521
von Recklinghausen's disease in mother, forme fruste type in son and daughter, 204
Neuroses and Psychoneuroses: See also Mental Diseases; Nervous System; etc.
ulcers of leg (trophic; factitial; arteriosclerotic; traumatic?), 397
Neurosyphilis: See also Dementia Paralytica; Meninges, syphilis; Tabes Dorsalis
poikiloderma atrophicans vasculare Jacobi; cutaneous changes typical of this disease in patient with late meningovascular neurosyphilis, *333
Raynaud's disease; syphilis of central nervous system, 65
Nevi; comedonicus nevus of extensive distribution, 433
flammeus with glaucoma, *503
lupus erythematosus superimposed on, 48
multiple pigmented hairy nevi (melanocarcinoma?), 413
pigmented, 152
pigmentosus et verrucosus, 52
unius lateris, 51, 77
Vascular: See Telangiectasia
Nevoxanthoendothelioma of Mc Donagh; juvenile xanthoma, 198
Nickel, dermatitis from Army spectacles, 46
Nicolas-Favre Disease: See Lymphogranuloma Venereum
Nicotinic Acid; erythema exudativum multiforme, *99
polymorphous dermatosis due to light, 138
Niedelman, M. L.: Bilateral matured cataracts complicating atopic dermatitis, 663
Blue nevus of Jadassohn and Tièche; report of case, *285
Pustuloulcerative (frambesiforme) syphilid, 393
Nitrotoluene; urticaria due to trinitrotoluene, *134
Nodes: See also Legs, blood supply; Panniculitis; etc.
juxta-articular, or leprous origin, *471
lichen chronicus simplex with nodular growths; case for diagnosis, 673
Nose, condyloma latum in nostrils; secondary syphilis, 655
hemangiopericytoma, 672
pemphigus erythematosus limited to; case for diagnosis, 203
sarcoidosis with involvement of, 393
telangiectasia of tip (rosacea; lupus erythematosus?), 148
Nutrition: See Vitamins; etc.

Obermayer, M. E.: Chronic dermatophytosis of feet and erythema annulare of face and neck, 429
Follicular type of seborrheic dermatitis; case for diagnosis, 538
Lentigo, 536
Lupus erythematosus, 63
Lymphoblastoma, 64
Tuberculosis miliaris faciei (rosacea-like tuberculid of Lewandowsky), 63
Ulerythema acneiforme; case for diagnosis, 60

OBITUARIES:
Astrachan, Girsch D., 562
Bailey, Harry, 47, 290
Jamieson, R. C., 562
Munson, Henry G., 562
Potter, Alfred, 47, 288

Occupational Diseases: See Industrial Diseases
Oil, dermatophytosis of hands and feet, 411
Lemon Grass: See Lemon Grass Oil
persistent contact dermatitis, 407
residual eruption following acute dermatitis from, 401
Sulfated: See Detergents
tattoo-like staining following occupational dermatitis, 407
Ointments; epidermal sensitivity to penicillin, 365
evaluation of sulfonamide ointment bases, 648
penicillin, in treatment of some infections of skin, *226
tyrothricin in cutaneous infections, 291
Oliver, E. A.: Acrosclerosis (Sellei), 547
Atrophoderma vermiculatum, 192
Omens, D. V.: Acanthosis nigricans (juvenile type), 194
Alopecia areata in twins, 193
Dermatomyositis, 188, 189
Lichen planus, 190
Mycosis fungoides; case for diagnosis, 546
Scrofulous gummas, 548
Urticaria pigmentosa, 190
Omens, H. D.: Acanthosis nigricans (juvenile type), 194
Alopecia areata in twins, 193
Dermatomyositis, 188, 189
Lichen planus, 190
Mycosis fungoides; case for diagnosis, 546
Scrofulous gummas, 548
Urticaria pigmentosa, 190
Onychodystrophy: See Nails
Onychomycosis: See Nails
Oppenheim, M.: Disseminated miliary sarcoid (Boeck), 548
Xeroderma pigmentosum; case for diagnosis, 202
Optic Disk: See Nerves, optic
Optimal Zone Reaction: See Syphilis
Orbit, hemangioma with cataract, 206
Osler's Disease: See Telangiectasia
Osteitis, Syphilitic: See under Bones
Tuberculous: See under Bones
Osteoma, multiple, 208
Osteomyelitis caused by granuloma inguinale; report of case with cultivation of Donovan body in yolk sac of developing chick embryo, 292
Otitis Externa: See Ear
Ovary, trophic disturbances of finger nails of both hands caused by functional disturbances of, 139
Oxophenarsine Hydrochloride: See Lupus erythematosus

Pace, E. R.: Pigmentation following morphea (and arsenic?), 540
Pack, G. T.: Treatment of cutaneous epithelioma, *576
Paint: See Zinc
Palate, fixed sulfathiazole eruption of unusual distribution, *125
Palsy: See Paralysis
Panniculitis, fatal, 293
nonsuppurative, 517
Paracoccidioides: See Blastomycosis
Paralysis; metastatic melanoblastoma, 72
General: See Dementia Paralytica
Parapsoriasis, 427
case for diagnosis, 76
en plaques (Brocq) or psoriasis, 50
Parapsoriasis—Continued
mycosis fungoides; 2 unusual types, 1 presenting leonine facies; the other, parapsoriasis (?) in patches for 30 years, 649
pityriasis lichenoides et varioliformis acuta (Habermann), 191
varioliformis, 665
Paresis: See Dementia Paralytica
Pascher, F.: Reactions of hemopoietic system to agents used in treatment of dermatoses; effects of low voltage roentgen ray therapy, *1
Pasteurella Tularensis: See Tularemia
Patch Test: See Anaphylaxis and Allergy
Pediculosis capitis, substances used for, 651
DDT in treatment of scabies, larva migrans and pediculosis pubis, *381
Pelada: See Alopecia areata
Pemphigus: See also Epidermolysis bullosa
apparently favorable response to sulfadiazine therapy, 398
benign, 210
dermal and ocular, 303
erythematosus limited to nose; case for diagnosis, 203
familial benign chronic; report of case, *119
ocular and oral, 165
treatment of, 138
vegetans, 652
vulgaris, 48
vulgaris, adrenal glands in; report of case, *42
vulgaris; successful results following transfusion with blood from persons who had recovered from disease, *249
Penicillin, bullous dermatitis (dermatitis medicamentosa) from, 294
cheilitis from local use of penicillin solutions in mouth; report of case, *133
crude localized sensitivity to; report of case, *31
dermatitis of lids from, 385
epidermal sensitivity to, *365
progress report based on 1,455 cases treated at National Naval Medical Center, Bethesda, Maryland, 513
simple technic for estimation in blood and other body fluids, 512
study of types of hypersensitivity induced by, 292
Therapy: See Acne; Cardiovascular Diseases; Dementia Paralytica; Fusospirochetosis; Gonorrhea; Impetigo; Meninges; Perifolliculitis; Pyoderma; Skin, diseases; Syphilis; Tabes Dorsalis; etc.
Penis; fixed sulfathiazole eruption of unusual distribution, *125
Peptic Ulcer; acanthosis nigricans; benign type with acne and active duodenal ulcer, 69
Periadenitis: See under Lymph Nodes
Periarteritis nodosa; case for diagnosis, 72
Perifolliculitis capitis abscedens et suffodiens, cleared with penicillin, 543
Perineum; psoriasis; roentgen ray dermatitis of groins, scrotum and scalp; roentgen ray ulcer of perineal area, 527
Periphlebitis; perivasculitis, 163
Perivasculitis: See Periphlebitis
Perniosis: See Chilblains
Perspiration, Insensible: See Metabolism; Sweat Glands
Petges-Clijat Disease: See Poikiloderma
Pfuetze, E. L.: Treatment of severe pustular dermatoses and staphylococcic septicemia by oral administration of penicillin, *128
Phagocytes and Phagocytosis: See Immunity; Reticuloendothelial System
Phakomatoses: See Sclerosis, tuberous
Phenolphthalein and Phenolphthalein Derivatives; dermatitis medicamentosa caused by, 145
Phenyl Arsenoxides: See Syphilis
Philips contact roentgen ray therapy, *578

Photodermatosis: See under Light
Phthirus Pubis: See Pediculosis
Physicians: See Obituaries; etc.
Physics, radiologic, example of need for dermatologic publicity of developments in, *115
Pigmentation: See also Melanin; Nevi; Schamberg's Disease; Xeroderma pigmentosum; etc.
chloasma uterinum, 58
cutaneous; blue nevus of Jadassohn and Tièche: report of case, *285
depigmentation; erythema streptogenes, *107
following morphea (and arsenic?), 540
of lip and buccal mucosa; case for diagnosis, 667
poikiloderma atrophicans vasculare Jacobi; cutaneous changes typical of this disease in patient with late meningovascular neurosyphilis, *333
poikiloderma of Civatte; berlock dermatitis; pigmentary disturbance of skin, 199
syphilitic verruciform melanoleukoderma; case for diagnosis, 533
tattoo or postinflammatory hyperpigmentation, 148
unusual, developing after prolonged suppressive therapy with quinacrine hydrochloride, *349
Pinkus, H.: Familial benign chronic pemphigus; report of case, *119
Pinta, White: See Vitiligo
Pityriasis, Lichenoides: See Parapsoriasis
rosea associated with oral lesions in child, 73
rosea; pityriasis-rosea-like, lichen-planus-like eruption following antisyphilitic therapy; case for diagnosis, 658
rosea resembling secondary syphilis, 529
rosea (tinea versicolor?) with leukoderma, 520
rubra pilaris, 49, 523, 524, 539
rubra pilaris or avitaminosis, 68
Versicolor: See Tinea versicolor
Plants, contact poison plants in Old World tropics, 647
Podophyllin: See Condyloma
Poikiloderma atrophicans vasculare Jacobi; cutaneous changes typical of this disease in patient with late meningovascular neurosyphilis, *333
case for diagnosis, 57
of Civatte; berlock dermatitis; pigmentary disturbance of skin, 199
vasculare atrophicans, 176
Poikilodermatomyositis, 416
Poisons and Poisoning: See Plants; and under names of substances
Pollen: See also Ragweed
dermatitis of hands due to atopic allergy to pollen, *437
timothy, seasonal dermatitis due to albumin fraction of, 385
Polyarteritis Nodosa: See Periarteritis nodosa
Poradenitis: See Lymphogranuloma Venereum
Porokeratosis: See Keratosis
Port Wine Mark: See Nevi flammeus
Portugal, H.: Juxta-articular node of leprous origin, *471
Postgraduate Education: See Education
Potassium Tartrate: See Psoriasis
Powders and capsules, 45
Pratt, A. G.: Dermatitis herpetiformis followed by lesions resembling lichen planus, *64
Pregnancy; control of syphilis in pregnant women under care of general practitioner, 295
Prescriptions; powders and capsules, 45
Preston, J. F., Jr.: Urticaria due to trinitrotoluene, *134
Prickly Heat: See Miliaria
Pringle-Bourneville's Disease: See Sclerosis, tuberous
Promizole: See Lupus vulgaris
Proteinosis, Lipid: See Lipoids
Pruritis; theophylline ethylenediamine as antipruritic agent; preliminary report, *281
Pseudopelade: See Alopecia cicatrisata
Psoriasis, 183
arthropathica, 208
beginning in infancy, 209
case for diagnosis, 544
or parapsoriasis en plaques (Brocq), 50
pustular, successfully treated with antimony and potassium tartrate, 143
roentgen ray dermatitis of groins, scrotum and scalp; roentgen ray ulcer of perineal area, 527
Psychoneuroses: See Neuroses and Psychoneuroses
Psychoses: See Neuroses and Psychoneuroses
Puberty: See Adolescence
Public Health, vacancies in United States Public Health Service, 277
Pugh, R. E., Jr.: Example of need for dermatologic publicity of developments in radiologic physics, *115
Purpura annularis telangiectodes, 552
due to iodides; report of case, *664
purpuric lichenoid dermatitis or Schamberg's disease, 518
simplex, 73
Pyoderma in infected wounds, 139
penicillin in topical treatment of pyogenic infections of skin; clinical and laboratory observations, *234
treatment of severe pustular dermatoses and staphylococcic septicemia by oral administration of penicillin, *128

Quinacrine hydrochloride, unusual pigmentation developing after prolonged suppressive therapy with, *349

Races: See Negroes; etc.
Radiations: See also Roentgen Rays; etc.
example of need for dermatologic publicity of developments in radiologic physics, *115
treatment of post-irradiational ulcers by radon ointment, 386
Radiodermatitis: See under Roentgen Rays
Radiologist, cutaneous cancer from point of view of, *586
Radon: See Radiations
Ragweed; dermatitis medicamentosa; case for diagnosis, 424
Rattner, H.: Bullous eruption; case for diagnosis, 197
Pityriasis lichenoides et varioliformis acuta (Habermann), 191
Raynaud's Disease; syphilis of central nervous system, 65
with acrosclerosis, 70
with dermatomyositis, 169
with generalized progressive scleroderma, 57
von Recklinghausen's Disease: See Neurofibromatosis
Recruits: See also Military Medicine
initial cardiac examination of 23,000 inductees and volunteers, 509
Reif, F. B.: Treatment of varicose ulcers with silver-coated adhesive tape, *507
Reiss, S.: Reactions of hemopoietic system to agents used in treatment of dermatoses; effects of low voltage roentgen ray therapy, *1
Rendu-Osler-Weber Syndrome: See Telangiectasia
Reticuloendothelial System: See also Jaundice; etc.
giant cell reticulosis, 180
Reticuloendothelioma; Hand-Schüller-Christian disease with cutaneous manifestations, 139
Reticuloendotheliosis: See Leukemia, monocytic; Reticuloendothelial System
Reticulosis: See Reticuloendothelial System

Rhinophyma, early erythrose pigmentaire peribuccale (Brocq); tinea versicolor, 67
Ringworm: See also Favus; Mycosis, cutaneous; Tinea; etc.
cutaneous manifestations of fungi causing dermatophytosis and onychomycosis, 383
dermatophytosis and other forms of intertriginous dermatitis of feet; comparison of therapeutic methods, *213
dermatophytosis of hands and feet, 411
nonfluorescent, of scalp, 384
tinea capitis, 516
tinea capitis cured with local applications, 389
tinea capitis in adult, 185
tinea capitis in 2 year old child, 144
tinea capitis, partly cured twice with local applications and now resistant to treatment, 389
tinea capitis; treatment with roentgen rays, *458
tinea capitis; treatment with special iodine and dilute acetic acid; preliminary report of results, *454
tinea imbricata; tokelau in Guatemala, *243
Riordan, T. J.: Boeck's sarcoid; case for diagnosis, 654
Lichen sclerosus et atrophicus (Hallopeau), 654
Pemphigus vegetans, 652
Pernio with milia, 653
Ritter's Disease: See Dermatitis, exfoliativa
Rocha, G. L.: Juxta-articular node of leprous origin, *471
Rodin, H. H.: Pityriasis lichenoides et varioliformis acuta (Habermann), 191
Rodriquez, J.: Treatment of congenital and of acquired syphilis in infants and in children by penicillin, *625
Roentgen Rays: See also Radiations
chronic lymphatic leukemia; cutaneous lesions following irradiation, 395
example of need for dermatologic publicity of developments in radiologic physics, *115
psoriasis; roentgen ray dermatitis of groins, scrotum and scalp; roentgen ray ulcer of perineal area, 527
reactions of hemopoietic system to agents used in treatment of dermatoses; effects of low voltage roentgen ray therapy, *1
Therapy: See under names of organs, regions and diseases, as Epithelioma; Hemangioma; Sarcoidosis; Ringworm; etc.
Roentgenotherapy, example of need for dermatologic publicity of developments in radiologic physics, *115
Rogers, J. D.: Congenital fistula, 151
Roman Cleanser; dermatitis due to soap, 411
Rosacea: See Acne rosacea
Rosen, E.: Erythema exudativum multiforme, *99
Rosen, I.: Generalized sarcoidosis, 521
Pityriasis rosea resembling secondary syphilis, 529
Rosenthal, L. H.: Tropical ulcer, 53
Rothman, S.: Juvenile xanthoma (nevoxanthoendothelioma of McDonagh), 198
Linear scleroderma, 199
Syphilis; case for diagnosis, 195
Rowe, A. H.: Dermatitis of hands due to atopic allergy to pollen, *437
Rubber; dermatitis venenata from gloves, 205

Sabetta, A.: Multiple hemorrhagic sarcoma of Kaposi; granuloma pyogenicum; case for diagnosis, 67
Sachs, W.: Histopathology of cutaneous cancer, *599
Sagher, F.: Experimental study on absorption of amyloid in localized amyloidosis by skin grafting, *342
Sarcoidosis, 210, 518
Boeck's sarcoid; case for diagnosis, 654
case for diagnosis, 301
Sarcoidosis—Continued
disseminated miliary sarcoid (Boeck), 548
generalized, 521
multiple sarcoids (Boeck), 60
of cheeks and forehead or tuberculosis luposa, 179
or granuloma annulare, 71
roentgen therapy of Boeck's sarcoid, 509
sarcoid; case for diagnosis, 152
sarcoid or leprosy, 670
Spiegler-Fendt sarcoid, 166
with involvement of nose, 393
Sarcoma: See also Cancer; Tumors; and under names of tumors, as Angiosarcoma; Fibrosarcoma; etc.
idiopathic multiple hemorrhagic (Kaposi), 170
multiple hemorrhagic, of Kaposi or granuloma pyogenicum, 67
multiple neurofibromatosis with sarcoma (now excised), 396
reticulum cell, 75
Saunders, T. S.: Purpura due to iodides; report of case, *644
Scabies, bird, 161
DDT in treatment of scabies, larva migrans and pediculosis pubis, *381
incidence in community using ordinary soap and tetmosol soap, 650
observations at St. Pancras Bathing Center, 46
prophylaxis with "tetmosol" soap, 650
Scalp, Diseases: See under names of diseases, as Ringworm; Seborrhea; etc.
late effects of scalping, 402
psoriasis; roentgen ray dermatitis of groins, scrotum and scalp; roentgen ray ulcer of perineal area, 527
tinea capitis in adult, 185
tinea capitis in 2 year old child, 144
treatment of tinea capitis with roentgen rays, *458
trichomalacie (hitherto unknown disease), 138
Scalping: See under Scalp
Schamberg's Disease or purpuric lichenoid dermatitis, 518
Schaumann's Disease: See Sarcoidosis
Schildkraut, J. M.: Scleroderma, atrophoderma or acrodermatitis atrophicans chronica, 666
Schiller, A. E.: Tattoo-like staining following occupational dermatitis, 407
Schmidt, O. E. L.: Hydroa estivale, 304
Schools, observations on scabies at St. Pancras Bathing Center, 46
Schorr, H. C.: Lymphoblastoma, 194
Psoriasis; case for diagnosis, 544
Schüller-Christian Syndrome with cutaneous manifestations, 139
Scleredema: See Scleroderma
Sclerema: See Scleroderma
Sclerodactylia: See Scleroderma
Scleroderma; acrosclerosis with Raynaud's disease, 70
arteriosclerotic ulcer with scleroderma-like changes; ergotism; case for diagnosis, 397
atrophoderma or acrodermatitis atrophicans chronica, 666
circumscribed, 300
generalized progressive, 77, 393, 531
generalized progressive, with Raynaud's syndrome, 57
linear, 199
localized; case for diagnosis, 537
localized; results of bismuth therapy, 432
morphea, 78
morphea improved by bismuth therapy, 392
morphea-like, 65
morphea-like basal cell epithelioma with ulceration, 52
pigmentation following morphea (and arsenic?), 540

Sclerosis: See also Arteriosclerosis
amyotrophic lateral, with syphilis, 535
tuberous, 178
Scrofula: See Tuberculosis
Scrofuloderma: See Tuberculosis
Scrotum, psoriasis; roentgen ray dermatitis of groins, scrotum and scalp; roentgen ray ulcer of perineal area, 527
Seasons; fungous disease or lupus erythematosus, 68
spring and summer dermatoses, 513
Seborrhea, follicular type of seborrheic dermatitis; case for diagnosis, 538
lupus erythematosus or seborrheic dermatitis, 551
seborrheic dermatitis; case for diagnosis, 435
Senear, F. E.: Lichen planus; case for diagnosis, 542
Septicemia: See under names of organisms and diseases, as Blastomycosis; Staphylococci
Septum, Nasal: See under Nose
Serum: See Blood
Shaffer, B.: Arteriosclerotic ulcer of leg, 397
Arteriosclerotic ulcers with scleroderma-like changes; ergotism; case for diagnosis, 397
Pemphigus; apparently favorable response to sulfadiazine therapy, 398
Ulcers of leg (trophic; factitial; arteriosclerotic; traumatic?), 397
Shallenberger, P. L.: Unusual pigmentation developing after prolonged suppressive therapy with quinacrine hydrochloride, *349
Shapiro, A. L.: Linear scleroderma, 199
Syphilis; case for diagnosis, 195
Shock, Anaphylactic: See Anaphylaxis and Allergy
Shoes, isolation of dermatophytes; new procedure for use in presence of saprophytic fungi, especially in mixed cultures and from leather, *481
Silver, treatment of varicose ulcers with silver-coated adhesive tape, *507
Silverberg, M. G.: Telangiectasia of tip of nose (rosacea; lupus erythematosus?), 148
Singer, A. G., Jr.: Intrahepatic obstructive jaundice due to neoarsphenamine; ineffectiveness of therapy, *620
Skeleton: See Bones
Skin: See also Dermatology
Abnormalities: See Atrophy; Ectodermal Defect; Pigmentation; etc.
amyloidosis of, 49
Atrophy: See Atrophy
Cancer: See Cancer; Epithelioma; Sarcoma; etc.
course in histopathology of, 47
cutis rhomboidalis nuchae, 297, 388
diffusion of water through dead plantar, palmar and torsal human skin and through toe nails, *39
Diseases: See also Dermatitis; and under names of diseases, as Eczema; Herpes; Mycosis; etc.; and under names of plants and drugs, as Penicillin; etc.
diseases; dermatologic problems in tropical theaters, 45
diseases: Hand-Schüller-Christian disease with cutaneous manifestations, 139
diseases; incidence of dermatoses in office practice in Hawaii, *6
diseases; necrobiosis lipoidica, 514, 522
diseases; necrobiosis lipoidica; case for diagnosis, 514
diseases; necrobiosis lipoidica diabeticorum, 62, 156, 515
diseases; penicillin ointment in treatment of some infections of skin, *226
diseases; penicillin in topical treatment of pyogenic infections of skin; clinical and laboratory observations, *234
Skin—Continued
diseases; reactions of hemopoietic system to agents used in treatment of dermatoses; effects of low voltage roentgen ray therapy, *1
diseases; spring and summer dermatoses, 513
diseases; treatment in tropics, 647
diseases; tyrothricin in cutaneous infections, *20, 291
diseases; tyrothricin in treatment, *498
Gangrene: See Gangrene
grafting, experimental study on absorption of amyloid in localized amyloidosis by, *342
Hemorrhage: See Purpura
Inflammation: See Dermatitis
permeability; differential roles of layers of human epigastric skin on diffusion rate of water, 292
permeability; rate of insensible perspiration (diffusion of water) locally through living and through dead human skin, 292
Pigmentation: See under Pigmentation
Syphilis: See Syphilids
Tuberculosis: See Tuberculids; Tuberculosis
Tumors: See under Tumors
Ulcers: See Ulcers
Smallpox, false positive serologic reactions for syphilis with reference to those due to smallpox vaccinations (vaccinia), 646
Soaps: See also Detergents
dermatitis due to, 411
Therapy: See Scabies
Societies, American Academy of Dermatology and Syphilology, 277

SOCIETY TRANSACTIONS:
Brooklyn Dermatological Society, 298
Chicago Dermatological Society, 188, 540
Cleveland Dermatological Society, 69
Detroit Dermatological Society, 402
Hawaii Dermatological Society, 48, 658
Los Angeles Dermatological Society, 58, 151, 428, 533
Manhattan Dermatological Society, 163, 525
Metropolitan Dermatological Society, 73, 399
Minnesota Dermatological Society, 75, 514
New England Dermatological Society, 174
New York Academy of Medicine, Section of Dermatology and Syphilis, 140, 521, 652
New York Dermatological Society, 204, 413, 667
Philadelphia Dermatological Society, 64, 389, 551, 663
San Francisco Dermatological Society, 301

Soda water; persistent contact dermatitis, 407
Sodium Penicillin: See Impetigo
Spectacles: See Glasses
Spiegler-Fendt Sarcoid: See Sarcoidosis
Spinal Cord; metastatic melanoblastoma, 72
Spinal Fluid: See Cerebrospinal Fluid
Sporotrichosis, 55
with radiate formation in tissue; report of case, *253
Staphylococci; penicillin in topical treatment of pyogenic infections of skin; clinical and laboratory observations, *234
treatment of severe pustular dermatoses and staphylococcic septicemia by oral administration of penicillin, *128
Stevens, R. H.: Late effects of scalping, 402
Stevens-Johnson Disease: See Erythema multiforme
Stomach; primary systemic amyloidosis of alimentary tract, 510
Stomatitis, 186
aphthous; cheilitis from local use of penicillin solution in mouth; report of case, *133
recurring, 418
triple symptom complex of Behcet, 147
Vincent's: See Fusospirochetosis

Stout, A. P.: Gross pathology of cutaneous cancer, *597
Stout, K. L.: Chronic dermatophytosis of feet and erythema annulare of face and neck, 429
Erythema annulare centrifugum, 59
Follicular type of seborrheic dermatitis; case for diagnosis, 538
Ulerythema acneiforme; case for diagnosis, 60
Strauch, J. H.: Acquired generalized anhidrosis with localized hyperhidrosis, 70
Epidermolysis bullosa, 72
Metastatic melanoblastoma, 72
Strawberry Nevi: See Angioma
Streptococci: See also Erysipelas
hemolytic; erythema streptogenes, *107
Streptotrichosis or dermatitis factitia, 167
Strickler, A.: Treatment of tinea capitis with special iodine and dilute acetic acid; preliminary report of results, *454
Stubenrauch, C. H., Jr.: Dermatitis due to nail coating, 200
Favus, 544
Sulfadiazine: See Pemphigus; Sulfonamides
Sulfathiazole: See Sulfonamides
Sulfonamides; clinical study of sensitivity to sulfathiazole, 509
dermatitis following local application of sulfanilamide, 137
evaluation of sulfonamide ointment bases, 648
fixed sulfathiazole eruption of unusual distribution, *125
Therapy: See Fusospirochetosis; Impetigo; Pemphigus; Skin, diseases; Syphilis; etc.
Sunburn: See Light, toxicity
Surgeon, cutaneous cancer from surgeon's point of view, *573
Sutton's Disease: See Vitiligo
Swarts, W. B.: Acute idiopathic circumscribed cutaneous gangrene; report of 2 cases, *477
Swartz, J. H.: Chronic lymphangitis of lower lip, 174
Tuberous sclerosis, 178
Sweat, differential roles of layers of human epigastric skin on diffusion rate of water, 292
diffusion of water through dead plantar, palmar and torsal human skin and through toe nails, *39
rate of insensible perspiration (diffusion of water) locally through living and through dead human skin, 292
Sweat Glands; acquired generalized anhidrosis with localized hyperhidrosis, 70
congenital ectodermal dysplasia of anhidrotic type, 297, 388
general acquired anhidrosis, 292
hydrocystoma, 416
treatment of dermatophytosis and hyperhidrosis with formaldehyde and cupric sulfate iontophoresis, *34
Sweitzer, S. E.: Bullous eruption; case for diagnosis, 77
Dermatitis herpetiformis, 77
Morphea, 78
Nevus unius lateris, 77
Sycosis vulgaris of ten years' duration, 671
Syphilids, pustuloulcerative (frambesiform), 393
Syphilis: See also Neurosyphilis; Syphilids; and under names of organs, regions and diseases, as Cardiovascular Diseases; Meninges; Throat; etc.
bismuth therapy in jaundice during antisyphilitic treatment, 46
blood and spinal fluid tests in malarial patients, 294
case for diagnosis, 195
comparative study of Gaehtgens' pallida reaction with Wassermann and Kahn reactions, 46
congenital bone lesions in infants and adolescents, 386
Syphilis—Continued
control in pregnant women under care of general practitioner, 295
early rapid plan for treatment for office practice, 45
effect of malaria on serologic tests for, 510
experimental; local chemical prophylaxis with phenyl arsenoxides, 45
false positive serologic reactions with reference to those due to smallpox vaccinations (vaccinia), 646
Hereditary: See Syphilis, congenital
influence of malaria on Kline and complement fixation (Wassermann) tests for, 386
intensive treatment and observations on serologic reactions, 137
late; case for diagnosis, 155
late cutaneous (gumma) with negative serologic reactions, 55
late, penicillin in, 646
optimal zone reaction in diagnosis and treatment, *633
penicillin in gonorrhea and syphilis, 650
penicillin; progress report based on 1,455 cases treated at National Naval Medical Center, Bethesda, Maryland, 513
pityriasis-rosea-like, lichen-planus-like eruption following antisyphilitic therapy; case for diagnosis, 658
secondary; condyloma latum in nostrils, 655
secondary; resembling pityriasis rosea, 529
sedimentation rate in, 387
serodiagnosis, verification tests in, 510
syphilitic verruciform melanoleukoderma; case for diagnosis, 533
tertiary, 425
tertiary; scrofulous gummas, 548
time-dose relationship of penicillin therapy, 647
treatment of congenital and of acquired syphilis in infants and in children by penicillin, *625
ulcerative late syphilis of throat (good results from treatment with penicillin), 59
with amyotrophic lateral sclerosis, 535
Syphiloderm: See Syphilids
Syphiloid, Jacquet posterosive; xanthoma tuberosum; keloid, 669
Syphilology; American Board of Dermatology and Syphilology; change in date of examination, 47
Syphiloma: See Syphilis, tertiary
Syringomyelia, 2 cases of Morvan's syndrome of uncertain cause (differentiation from syringomyelia), 293

T. E. T. M. S.: See under Scabies
Tabes Dorsalis: See also Neurosyphilis
Charcot joint of right ankle, 538
penicillin for neurosyphilis, 383
Tar; contact dermatitis due to frequent contact with thinner, 405
Teaching: See Education
Teeth; therapeutic effectiveness of penicillin in treatment of Vincent's stomatitis and its failure to influence favorably certain other medical conditions, 511
Telangiectasia: See also Purpura annularis telangiectodes
of tip of nose (rosacea); lupus erythematosus?), 148
poikiloderma atrophicans vasculare Jacobi; cutaneous changes typical of this disease in patient with late meningovascular neurosyphilis, *333
purpura annularis telangiectodes, 552
Test, A. R.: Epidermolysis bullosa simplex of hands and feet; genetic study of hereditary type, *610
Tetmosol: See Scabies
Theophylline ethylenediamine as antipruritic agent; preliminary report, *281
Thigh: See also Legs
recurrent, fixed erysipelas-like dermatophytid, *10

Thinner, contact dermatitis due to frequent contact with, 405
Thomas, C. C.: Case for diagnosis, 64
Multiple hemorrhagic sarcoma of Kaposi; granuloma pyogenicum; case for diagnosis, 67
Multiple neurofibromatosis with sarcoma (now excised), 396
Tuberculosis cutis; lupus vulgaris; inactive osseous tuberculosis, 66
Urticaria pigmentosa, 555
Thorax, lupus erythematosus of eyelids, chest and neck, 150
Throat; ulcerative late syphilis of throat (good results from treatment with penicillin), 59
Thrombocytopenia: See Purpura
Thrombosis, multiple, or Bazin's disease, 164
Ticks: See Tularemia
Tièche's Disease: See Pigmentation
Timothy Pollen: See Pollen
Tinea: See also Ringworm
Capitis: See Ringworm
Favosa: See Favus
Imbricata: See Ringworm
versicolor; erythrose pigmentaire péribuccale (Brocq); early rhinophyma, 67
versicolor; pityriasis rosea with leukoderma, 520
Tissue: See also Cells
sporotrichosis with radiate formation in; report of case, *253
Toe Nails: See Nails
Tokelau: See under Ringworm
Tongue, fixed sulfathiazole eruption of unusual distribution, *125
glossitis rhombica mediana? 518
Torrey, F. A.: Sarcoidosis; case for diagnosis, 301
Tuberculosis of skin, 301
Toxicodermas: See Dermatitis, venenata
Traub, E. F.: Cutaneous cancer from standpoint of dermatologist, *563
Dermatitis medicamentosa; case for diagnosis, 424
Dermatitis venenata from rubber gloves, 205
Granuloma annulare with lesions limited to face and resembling basal cell epitheliomas, 523
Psoriasis beginning in infancy, 209
Trench Foot: See Foot
Treponema Pallidum: See Syphilis
Treponematosis: See Frambesia; Syphilis
Trichomalacia: See under Hair
Trichophytin: See Dermatitis herpetiformis; Mycosis, cutaneous
Trichotillomania: See under Hair
Trinitrotoluene: See Nitrotoluene
Tropical Medicine: See also under names of tropical diseases, as Ulcers, tropical; etc.
atypical miliaria, 52
dermatologic problems in tropical theaters, 45
management of chancroid in tropical theaters, 294
tokelau in Gautemala, *243
treatment of skin diseases in tropics, 647
Tropics; contact poison plants in Old World tropics, 647
Tuberculids: See also under Tuberculosis
ecthyma terebrant (rare form of tuberculid), 512
micropapular, in Negro, *372
miliary papular, 519
papulonecrotic or lupus erythematosus, 74
rosacea-like, of Lewandowsky; tuberculosis miliaris faciei, 63
tuberculoderma; case for diagnosis, 668
Tuberculin: See under Tuberculosis
Tuberculoderm: See Tuberculids
Tuberculosis: See also Tuberculids; and under names of diseases, organs and regions, as Mouth; etc.
cutis; lupus vulgaris; inactive osseous tuberculosis, 66
Tuberculosis—Continued
lichenoides; lichen scrofulosis, 660
luposa or sarcoidosis of cheeks and forehead, 179
miliaris faciei; rosacea-like tuberculid of Lewandowsky, 63
of skin, 301
scrofulous gummas, 548
verrucosa cutis; case for diagnosis, 428
Tularemia, latent; field study in rodents with list of all known naturally infected vertebrates, 648
treatment with intravenous bismuth sodium tartrate, 509
Tumors: See also Angiosarcoma; Cancer; Epithelioma; Fibroma; Fibrosarcoma; Granuloma; Hemangioendothelioma; Hemangiofibroma; Hemangioma; Hemangiopericytoma; Lymphoblastoma; Melanoblastoma; Melanocarcinoma; Melanoma; Neurofibroma; Osteoma; Sarcoma; and under names of organs and regions
lymphadenosis benigna cutis; clinical and pathologic study, 296, 386
Turpentine, tattoo-like staining following occupational dermatitis, 407
Twining, H. E.: Case for diagnosis, 555
Fungous disease; lupus erythematosus; case for diagnosis, 68
Lupus erythematosus or seborrheic dermatitis, 551
Twins, acne indurata in identical twins treated by penicillin, *232
alopecia areata in, 193
Tyrothricin: See Skin, diseases

Ulcers: See also Varicose Veins; and under names of organs and regions
arteriosclerotic, of leg, 397
arteriosclerotic, with scleroderma-like changes; ergotism; case for diagnosis, 397
cavernous meningioma with ulceration, 141
microaerophilic; case for diagnosis, 419
morphea-like basal cell epithelioma with ulceration, 52
of leg (trophic; factitial; arteriosclerotic; traumatic?), 397
Peptic: See Peptic Ulcer
psoriasis; roentgen ray dermatitis of groins, scrotum and scalp; roentgen ray ulcer of perineal area, 527
pustuloulcerative (frambesiform) syphilid, 393
treatment of post-irradiational ulcers by radon ointment, 386
Tropical: See also Fusopirochetosis
tropical, 53
Varicose: See Varicose Veins
Ulerythema acneiforme; case for diagnosis, 60
United States Public Health Service: See Public Health
Urethra; keratosis blennorrhagica; its response to penicillin, *278
Urticaria due to trinitrotoluene, *134
pigmentosa, 190, 555
treatment with synthetic vitamin K, 511
Uterus; chloasma uterinum, 58

Vaccination: See Smallpox
Vaccinia: See Smallpox
Van Rhee, G.: Contact dermatitis caused by zinc chromate paint, 403
Contact dermatitis due to frequent contact with thinner, 405
Varicose Ulcers: See Varicose Veins
Varicose Veins; treatment of varicose ulcers with silver-coated adhesive tape, *507
Variola: See Smallpox
Veins: See Thrombosis
Varicose: See Varicose Veins
Venereal Diseases: See Chancroid; Gonorrhea; Neurosyphilis; Syphilis; etc.

Verruca; electrosurgical removal of plantar warts (loop treatment), *496
epidermodysplasia verruciformis, 421
epidermolysis bullosa with palmar and plantar keratosis and verrucous lesions at sites of previous lesions, 517
plana juvenilis, 298
unusual case of warts, *604
Vesication, bullous dermatitis (dermatitis medicamentosa) from penicillin, 294
bullous eruption; case for diagnosis, 77, 197
erythema multiforme bullosum; case for diagnosis, 549
Vincent's Disease: See Fusospirochetosis
Viruses: See under Lymphogranuloma Venereum; etc.
Vitamins: See also Nicotinic Acid
A; arsenical keratoses disappearing with vitamin A therapy, 154
A deficiency or lichen scrofulosus, 554
A deficiency producing follicular hyperkeratosis, 392
A; familial benign chronic pemphigus, *119
avitaminosis; neurogenic dermatitis, 553
avitaminosis or pityriasis rubra pilaris, 68
K, synthetic, treatment of urticaria, 511
P-P: See Nicotinic Acid
Vitiligo; pityriasis rosea (tinea versicolor?) with leukoderma, 520
syphilitic verruciform melanoleukoderma; case for diagnosis, 533
treatment with intradermal administration of gold, 297, 388

Wachtel, J.: Immunization therapy for lichen planus, *355
Waisman, M.: Penicillin in topical treatment of pyogenic infections of skin; clinical and laboratory observations, *234
Recurrent, fixed erysipelas-like dermatophytid, *10
Wakefield, R. F.: Localized scleroderma; case for diagnosis, 537
War: See Military Medicine; Naval Medicine; etc.
Warts: See Verruca
Wassermann Reaction: See also under Syphilis
comparative study of Gaehtgens' pallida reaction with Wassermann and Kahn reactions, 46
Water, differential roles of layers of human epigastric skin on diffusion rate of, 292
diffusion through dead plantar, palmar and torsal human skin and through toe nails, *39
rate of insensible perspiration (diffusion of water) locally through living and through dead human skin, 292
Watkins, C.: Treatment of congenital and of acquired syphilis in infants and in children by penicillin, *625
Watkins, C. A.: Urticaria due to trinitrotoluene, *134
Weber, L. F.: Dermatitis due to nail coating, 200
Favus, 544
Weber-Christian Disease: See Panniculitis
Weber-Rendu-Osler's Disease: See Telangiectasia
Webster, J. P.: Cutaneous cancer from surgeons' point of view, *573
Weidman, F. D.: Dermatophytosis and other forms of intertriginous dermatitis of feet; comparison of therapeutic methods, *213
Eosinophilic granuloma; case for diagnosis, 559
Pemphigus; apparently favorable response to sulfadiazine therapy, 398
Weisberg, A.: Erythema exudativum multiforme, *99
Weiss, R. S.: Epidermal sensitivity to penicillin, *365
Penicillin ointment in treatment of some infections of skin, *226
Welton, D. G.: Epithelioma; report on 1,742 treated patients, *307
Wetting Agents: See Detergents
Wheal: See Urticaria
Whelan, S.: Exfoliative dermatitis; premycotic mycosis fungoides; case for diagnosis, 66
White, C. J.: Erythema multiforme bullosum; case for diagnosis, 549
White Spot Disease: See Scleroderma
Wilson, J. F.: Tinea capitis, cured with local applications, 389
Tinea capitis, partly cured twice with local applications and now resistant to treatment, 389
Winer, L. H.: Chronic lupus erythematosus with reticulation of forearms, 78
Winsor, T.: Diffusion of water through dead plantar, palmar and torsal human skin and through toe nails, *39
Wise, F.: Acrodermatitis chronica atrophicans with angiosarcomas, 423
Dermatitis herpetiformis, 205
Dermatitis herpetiformis; impetigo herpetiformis; case for diagnosis, 207
Erythema multiforme, 676
Extensive lupus vulgaris, 675
Hemangiopericytoma, 672
Lichen chronicus simplex with nodular growths; case for diagnosis, 673
Sarcoid or leprosy, 670
Tuberculoderma; case for diagnosis, 668
Witherspoon, F. G.: Exfoliative dermatitis associated with amebic dysentery, *506
Wolf, J.: Subacute disseminated lupus erythematosus, 172
Wollenberg, R. A. C.: Persistent contact dermatitis, 407
Wood's Light: See Fluorescence
Wounds, infected pyoderma in, 139
Wright, C. S.: Avitaminosis; pityriasis rubra pilaris; case for diagnosis, 68
Lichen scrofulosus or vitamin A deficiency, 554
Purpura annularis telangiectodes, 552
Scleroderma, generalized progressive, 393

Xanthoma, juvenile (nevoxanthoendotheliomа of McDonagh), 198
tuberosum; keloid; Jacquet posterosive syphiloid, 669
Xanthomatosis: See Schüller-Christian Syndrome; Xanthoma
Xeroderma pigmentosum, 302
pigmentosum; case for diagnosis, 172, 202
X-Rays: See Roentgen Rays

Yaws: See Frambesia

Zinc chromate paint, contact dermatitis caused by, 403